
CHEMISTRY

9701/53

Paper 5 Planning, Analysis and Evaluation

May/June 2018

MARK SCHEME

Maximum Mark: 30

Published

This mark scheme is published as an aid to teachers and candidates, to indicate the requirements of the examination. It shows the basis on which Examiners were instructed to award marks. It does not indicate the details of the discussions that took place at an Examiners' meeting before marking began, which would have considered the acceptability of alternative answers.

Mark schemes should be read in conjunction with the question paper and the Principal Examiner Report for Teachers.

Cambridge International will not enter into discussions about these mark schemes.

Cambridge International is publishing the mark schemes for the May/June 2018 series for most Cambridge IGCSE™, Cambridge International A and AS Level and Cambridge Pre-U components, and some Cambridge O Level components.

IGCSE™ is a registered trademark.

This document consists of **7** printed pages.



Cambridge Assessment
International Education

Generic Marking Principles

These general marking principles must be applied by all examiners when marking candidate answers. They should be applied alongside the specific content of the mark scheme or generic level descriptors for a question. Each question paper and mark scheme will also comply with these marking principles.

GENERIC MARKING PRINCIPLE 1:

Marks must be awarded in line with:

- the specific content of the mark scheme or the generic level descriptors for the question
- the specific skills defined in the mark scheme or in the generic level descriptors for the question
- the standard of response required by a candidate as exemplified by the standardisation scripts.

GENERIC MARKING PRINCIPLE 2:

Marks awarded are always **whole marks** (not half marks, or other fractions).

GENERIC MARKING PRINCIPLE 3:

Marks must be awarded **positively**:

- marks are awarded for correct/valid answers, as defined in the mark scheme. However, credit is given for valid answers which go beyond the scope of the syllabus and mark scheme, referring to your Team Leader as appropriate
- marks are awarded when candidates clearly demonstrate what they know and can do
- marks are not deducted for errors
- marks are not deducted for omissions
- answers should only be judged on the quality of spelling, punctuation and grammar when these features are specifically assessed by the question as indicated by the mark scheme. The meaning, however, should be unambiguous.

GENERIC MARKING PRINCIPLE 4:

Rules must be applied consistently e.g. in situations where candidates have not followed instructions or in the application of generic level descriptors.


GENERIC MARKING PRINCIPLE 5:

Marks should be awarded using the full range of marks defined in the mark scheme for the question (however; the use of the full mark range may be limited according to the quality of the candidate responses seen).

GENERIC MARKING PRINCIPLE 6:

Marks awarded are based solely on the requirements as defined in the mark scheme. Marks should not be awarded with grade thresholds or grade descriptors in mind.

Question	Answer	Marks
1(a)	Complete circuit with ammeter in series and DC power supply	1
	Anode, cathode and solution labelled	1
1(b)	wear gloves	1
	do not dispose into the water waste / sink OR do not put down drain / sewage OR put in waste bottles	1
1(c)	Mass (of electrode) before and after experiment AND mass unit	1
1(d)	charge = $0.5 \times 30 \times 60 = 900$ C	1
1(e)	$0.282 / 63.5 = 4.44 \times 10^{-3}$ (mol) OR 0.00444	1
1(f)	$(900 / 4.44 \times 10^{-3}) = 202702.7027$ C	1
1(g)	2 moles of electrons are produced / removed / released (so 2 Faradays OR $2 \times 96\,500$)	1
1(h)	(Faraday) value is smaller AND (apparent) mass / moles / amount is more (for same charge passed)	1
1(i)	CuO is formed / oxidation of copper / carbon / soot is formed	1
1(j)	Some copper falls off the electrode during electrolysis / falls to the bottom of the beaker OR Some copper is lost during washing	1

Question	Answer	Marks
2(a)	Water bath/beaker of water containing thermometer around flask	1
	Controlled heat source or heater/temperature regulator	1
2(b)(i)	Moles $N_2 = 72 / 24\,000 = 0.003$ moles (1 mol $C_6H_5N_2^+Cl^- \rightarrow 1$ mol N_2)	1
	Moles $C_6H_5N_2^+$ in 1000 cm ³ solution = $0.003 \times (1000 / 200) = 1.50 \times 10^{-2}$ (mol)	1
2(b)(ii)	 <p>OR</p>	
	Axes (label with quantity or correct unit) and values correct	1
	Straight line from axis marks OR from 0,0 over most of the axes	1

Question	Answer				Marks	
2(c)		A	B	C	D	
		Time / min	volume of nitrogen, V / cm ³	V / V _{FINAL}	[C ₆ H ₅ N ₂ ⁺ Cl ⁻ (aq)] / mol dm ⁻³	
		0.0	0	0.000	0.0150	
		2.0	9	0.125	0.0131	
		4.0	17	0.236	0.0115	
		6.0	24	0.333	0.0100	
		8.0	30	0.417	0.00875	
		10.0	35	0.486	0.00771	
		12.0	40	0.556	0.00666	
		14.0	44	0.611	0.00584	
		16.0	48	0.667	0.00500	
		Column values for D correctly calculated				1
	3 sf in C and D				1	
2(d)	Candidate's calculated points correctly plotted from table in 2(c)				1	
	Smooth curve of best fit				1	
2(e)	Tangent drawn at time zero				1	
	2 sets of co-ordinates shown				1	
	calculation of gradient of tangent				1	
	mol dm ⁻³ minute(s) ⁻¹				1	

PUBLISHED

May/June 2018

Question	Answer					Marks															
2(f)	<table><tr><td>concentration 1</td><td>Time 1</td><td>concentration 2</td><td>time 2</td><td>$t_{1/2}$</td></tr><tr><td>(0.0120)</td><td>3</td><td>(0.0060)</td><td>13.4</td><td>10.4</td></tr><tr><td>0.010</td><td>6</td><td>0.005</td><td>16.0</td><td>10.0</td></tr></table>					concentration 1	Time 1	concentration 2	time 2	$t_{1/2}$	(0.0120)	3	(0.0060)	13.4	10.4	0.010	6	0.005	16.0	10.0	
	concentration 1	Time 1	concentration 2	time 2	$t_{1/2}$																
	(0.0120)	3	(0.0060)	13.4	10.4																
	0.010	6	0.005	16.0	10.0																
	Columns 1 and 3					1															
Columns 2 and 4					1																
Half-lives correctly calculated.					1																
2(g)	First order AND because half-lives are constant/equal					1															