

Cambridge International AS & A Level

CANDIDATE NAME				
CENTRE NUMBER		CANDIDA NUMBER		

CHEMISTRY 9701/21

Paper 2 AS Level Structured Questions

May/June 2021

1 hour 15 minutes

You must answer on the question paper.

You will need: Data booklet

INSTRUCTIONS

- Answer all questions.
- Use a black or dark blue pen. You may use an HB pencil for any diagrams or graphs.
- Write your name, centre number and candidate number in the boxes at the top of the page.
- Write your answer to each question in the space provided.
- Do not use an erasable pen or correction fluid.
- Do not write on any bar codes.
- You may use a calculator.
- You should show all your working, use appropriate units and use an appropriate number of significant figures.

INFORMATION

- The total mark for this paper is 60.
- The number of marks for each question or part question is shown in brackets [].

This document has 12 pages. Any blank pages are indicated.


Answer **all** the questions in the spaces provided.

1

Ethaned	dioic acid, HO ₂ CCO ₂ H, has a relative molecular mass of 90.0.
(a) (i)	Explain what is meant by the term relative molecular mass.
	[2]
(ii)	State the empirical formula of ethanedioic acid.
	[1]
(iii)	Calculate how many atoms of carbon are present in 0.18 g of ethanedioic acid, HO ₂ CCO ₂ H.
	Show your working.
	atoms of carbon present =[3]
	id ethanedioic acid reacts with aqueous calcium ions to make a precipitate of cium ethanedioate, ${\rm CaC_2O_4}$.
Ca	$\mathrm{C_2O_4}$ breaks down when heated to form calcium oxide, carbon dioxide and carbon monoxide.
(i)	Construct an equation to represent the reaction of ${\rm CaC_2O_4}$ when heated. Include state symbols.
	[2]
(ii)	Identify the type of reaction which occurs when CaC ₂ O ₄ is heated.
	[1]
(iii)	Identify another compound containing calcium ions which will also produce carbon dioxide and calcium oxide when it is heated.
	[1]
	[Total: 10]

2	Carbon manavida aga	$CO(\alpha)$	and nitragen goe	$M / \alpha $	ara hath	diatamia malagulas
_	Carbon monoxide gas	. COlai.	and millouen das	. INALUI.	are bour	diatorric molecules.

(a)	The diagram	shows the	arrangement	of outer	electrons in	a molecule o	t CO(a)



(i)		rity and one differented together compared			•	atoms in a carbon monoxi nitrogen molecule.	de
							[2]
(ii)	The table states t	the electronegativity	/alues	of carb	on, niti	rogen and oxygen atoms.	
			С	N	0		
		electronegativity	2.5	3.0	3.5		
	Use the electrone the table below.	egativity values and	relevar	nt detai	ls from	n the <i>Data Booklet</i> to comple	ete
		N ₂				СО	
number molecu	of electrons per le						
	of intermolecular r Waals') force						
							[2]
(b) N ((a) is less reactive t	than CO(a) even that	ıah N /	a) bas	a lowe	er bond energy than CO(g).	
				y) IIas	alowe	i bond energy than 60(g).	
Su	ggest wny CO(g) is	s more reactive than	ιν ₂ (g).				

[3]

[Total: 11]

(c)	Bot	h carbon monoxide and nitrogen are gases at room temperature and pressure.	
	The	ey both behave like ideal gases under certain conditions.	
	(i)	State the two conditions necessary for these two gases to approach ideal gas behavio	our
			[1
	(ii)	Explain why $N_2(g)$ behaves more like an ideal gas than $CO(g)$ does at $20.0^{\circ}C$ and 101^{k}	Pa
			[2
(d)		culate the amount, in mol, of pure nitrogen gas which occupies 100cm^3 at 101kPa a 0°C .	ano
	Use	e relevant information from the <i>Data Booklet</i> . Show your working.	
	Ass	sume nitrogen behaves as an ideal gas.	
			2

3

Sodiu	m halide salts react with concentrated sulfuric acid at room temperature.
(a) (i	Write an equation to represent the reaction of NaCl(s) with concentrated sulfuric acid.
	[1]
(ii) Name this type of reaction.
	[1]
(b) N	aI(s) reacts with concentrated sulfuric acid, at room temperature, to form steamy fumes.
(i) Identify the chemical responsible for the steamy fumes.
	[1]
(ii	The reaction of NaI(s) with concentrated sulfuric acid continues, forming several other products, including a dark grey solid.
	Identify the chemical responsible for the dark grey solid and one other product of this further reaction.
	dark grey solid
	other product[2]
	xplain the differences in observations, at room temperature, when NaI(s) reacts with oncentrated sulfuric acid compared to those for NaC $l(s)$.
	[2]
	[2]
	complete the equation for the reaction of Br^- with excess concentrated $\mathrm{H_2SO_4}$ at room emperature.
	Br ⁻ +H ⁺ +H ₂ SO ₄ →
	[Total: 8]
	[rotal. o]

4 Aqueous bromine reacts with methanoic acid to form hydrogen bromide and carbon dioxide gas.

$$Br_2(aq) + HCO_2H(aq) \rightarrow 2HBr(aq) + CO_2(g)$$

The table shows the oxidation numbers of bromine and carbon in the species involved in this reaction.

	Br in Br ₂	C in HCO ₂ H	Br in HBr	C in CO ₂
oxidation number	0	+2	-1	+4


(a)	Identify the oxidising agent in this reaction.	Explain yo	our reasoning v	with reference to	oxidation
	numbers.				

(b) Suggest one change you would observe, ignoring temperature changes, when bromine reacts with methanoic acid.

.....[1]

(c) This reaction can be followed by measuring the concentration of bromine present in the mixture at regular time intervals.

The graph shows the change in concentration of bromine against time in a reaction carried out at 20 °C.



(i) Use the graph to calculate the average rate of reaction at 20 °C during the first 600 s. State the units of this rate of reaction.

average rate of reaction units units


[2]

The experiment is repeated at a temperature of 40 °C. This relatively small increase in temperature produces a large increase in reaction rate.

- (ii) Sketch a graph, on the same axes, to show the expected results when repeating the experiment at 40 °C. [1]
- (iii) The rate of reaction increases when the frequency of successful collisions between reactant particles increases.

Explain why an increase in temperature produces this effect.
[2]

(d) Complete the 'dot-and-cross' diagram, showing outer electrons only, to show the bonding in methanoic acid, HCO₂H.



[2]

[Total: 9]

5

(a)	Na	phtha is a mixture which contains only hydrocarbon molecules.
	(i)	What is meant by the term <i>hydrocarbon</i> ?
	(ii)	Name the raw material that is used to produce a sample of naphtha.
	(,	[1]
(b)	Co	mpound V is found in naphtha. It has a molecular formula $C_{10}H_{22}$.
		ten V is heated at high pressure in the absence of air, an equal number of moles of ethene, pene and W are made. W is a compound made of straight chain, saturated molecules.
	(i)	Name the process that describes this reaction.
		[1]
	(ii)	Deduce the structure of W . Draw its structure below.
		[1]
(c)		opene is separated from the mixture and heated in air in the presence of a catalyst. Propene oxidised to ${f X}$, which contains two functional groups.
	(i)	Effervescence is seen when Na ₂ CO ₃ (aq) is added to X .
		Identify the functional group present in X which is responsible for this observation.
		[1]
	(ii)	Identify a reagent which could be used to show that ${\bf X}$ contains a C=C. Include relevant observations.
		[2]

(d) X reacts with another reagent to form Y.

Molecules of **Y** react together to form addition polymer **Z**. The diagram shows the repeat unit of polymer **Z**.

repeat unit of polymer Z

Draw the structural formula of monomer Y.

[1]

(e) Polymer **Z** is useful because it absorbs large amounts of water. However, there are problems associated with the disposal of products containing polymer **Z**.

Combustion is not an appropriate method to dispose of pure **Z** because the process releases harmful gases. Some of these gases contribute to the enhanced greenhouse effect.

(i)	Identify a gas released during the combustion of Z which contributes to the enhanced greenhouse effect.
	[1]
(ii)	Identify another gas which could be produced during the combustion of pure Z . Describe a consequence, other than the enhanced greenhouse effect, of its release into the atmosphere.
	gas
	consequence

[Total: 10]

[1]

[3]

a)	Name this type	of reaction.							
b)	Name the catalyst used and state the conditions needed for this reaction to occur.								
	catalyst								
	conditions								
c)	Complete the t propene, C ₃ H ₆ ,		v the numbers	s of sigma	(σ) bonds	and pi (π) bonds pr	resen	
			σ		π				
		C ₃ H ₆							
		C ₂ H ₆ O							
d)	The reaction of with the catalys				o-step mec	chanism.	In step 1 C₃I	H ₆ rea	
d)	with the catalys (i) Draw struct	propene, C₃⊦ st, H⁺, to form	a carbocation	1.					
d)	(i) Draw struct step 1. Exp	propene, C ₃ F st, H ⁺ , to form tures to ident	a carbocation ify the more st	1.		arbocatio	ns which ca		
d)	(i) Draw struct step 1. Exp	propene, C₃F st, H⁺, to form tures to ident blain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	(i) Draw struct step 1. Exp	propene, C₃F st, H⁺, to form tures to ident blain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	(i) Draw struct step 1. Exp	propene, C₃F st, H⁺, to form tures to ident blain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	(i) Draw struct step 1. Exp	propene, C₃F st, H⁺, to form tures to ident blain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	(i) Draw struct step 1. Exp	propene, C₃F st, H⁺, to form tures to ident blain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	with the catalys (i) Draw struct step 1. Exp more sta	propene, C ₃ F st, H ⁺ , to form tures to ident plain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	(i) Draw struct step 1. Exp	propene, C ₃ F st, H ⁺ , to form tures to ident plain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		
d)	with the catalys (i) Draw struct step 1. Exp more sta	propene, C ₃ F st, H ⁺ , to form tures to ident plain your ans	a carbocation ify the more st	1.	ss stable ca	arbocatio	ns which ca		

	(ii)	Name the major organic product formed from the reaction of propene, C_3H_6 , with H_2O .	
			[1]
(e)	2-bi	romopropane reacts to form propene, hydrogen bromide and water under certain conditio	ns.
	(i)	Name this type of reaction.	
			[1]
	/::\		
	(ii)	Describe the reagents and conditions needed to favour this reaction.	
		reagents	
		conditions	
			[2]

[Total: 12]

12

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

To avoid the issue of disclosure of answer-related information to candidates, all copyright acknowledgements are reproduced online in the Cambridge Assessment International Education Copyright Acknowledgements Booklet. This is produced for each series of examinations and is freely available to download at www.cambridgeinternational.org after the live examination series.

Cambridge Assessment International Education is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of the University of Cambridge Local Examinations Syndicate (UCLES), which itself is a department of the University of Cambridge.