



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS General Certificate of Education Advanced Subsidiary Level and Advanced Level

| CANDIDATE NAME | | | | | | | | | |
|-------------------|--|--|--|--|--|----------------|--|--|--|
| CENTRE NUMBER | | | | | | NDID. IMBEF | | | |

CHEMISTRY 9701/23

Paper 2 Structured Questions AS Core

October/November 2013

1 hour 15 minutes

Candidates answer on the Question Paper.

Additional Materials: Data Booklet

READ THESE INSTRUCTIONS FIRST

Write your Centre number, candidate number and name on all the work you hand in.

Write in dark blue or black pen.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use staples, paper clips, highlighters, glue or correction fluid.

DO NOT WRITE IN ANY BARCODES.

Answer all questions.

Electronic calculators may be used.

You may lose marks if you do not show your working or if you do not use appropriate units.

A Data Booklet is provided.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [] at the end of each question or part question.

| For Examiner's Use | | | | |
|--------------------|--|--|--|--|
| 1 | | | | |
| 2 | | | | |
| 3 | | | | |
| 4 | | | | |
| 5 | | | | |
| Total | | | | |

This document consists of 11 printed pages and 1 blank page.



Answer **all** the questions in the spaces provided.

For Examiner's Use

| 1 | Ammonia, NH ₃ , ar | nd methane, | CH ₄ , | are the | hydrides | of | elements | which | are | next | to | one |
|---|-------------------------------|-------------|-------------------|---------|----------|----|----------|-------|-----|------|----|-----|
| | another in the Perio | odic Table | | | | | | | | | | |

(a) In the boxes below, draw the 'dot-and-cross' diagram of a molecule of each of these compounds. Show outer electrons only.
State the shape of each molecule.

| NH ₃ | CH ₄ |
|-----------------|-----------------|
| | |
| | |
| | |
| | |
| | |
| | |
| | |
| shape | shape |

[3]

| cor | npounds are different. |
|------|-------------------------------------------------------------------------------|
| (i) | Explain, using ammonia as the example, the meaning of the term bond polarity. |
| | |
| | |
| | |
| (ii) | Explain why the ammonia molecule is polar. |
| | |
| | |

(iii) State **one** physical property of ammonia which is caused by its polarity.

(b) Ammonia is polar whereas methane is non-polar. The physical properties of the two

[4]

| (c) | When ammonia gas is mixed with hydrogen chloride, white, solid ammonium chloride is formed. | Exan U |
|-----|-------------------------------------------------------------------------------------------------------------------------------------------------------|-----------|
| | State each type of bond that is present in one formula unit of ammonium chloride and how many of each type are present. You may draw diagrams. | |
| | | |
| | | |
| | | |
| | | |
| | | |
| | [3] | |
| | [Total: 10] | |

For Examiner's Use

For Examiner's Use

[4]

| | and diesel fuel are both used in internal combustion engines. nay be regarded as having the formula C_9H_{20} and diesel fuel as having the formula |
|---------|-------------------------------------------------------------------------------------------------------------------------------------------------------|
| (a) (i) | To which class of compounds do these two hydrocarbons belong? |
| | |
| (ii) | Write a balanced equation for the complete combustion of petrol. |
| | [2] |
| ` ' | nen petrol or diesel fuel are used in internal combustion engines, several different ducts of the incomplete combustion of the fuel may be formed. |
| (i) | Name two of these products that do not contain hydrogen. |
| | and |
| (ii) | Choose one of these and state a hazard it causes. |
| | product |
| | hazard |
| (iii) | Write a balanced equation for the formation of one of the products in (i) from diesel fuel. |
| | |

| (c) | Define the term standard enthalpy change of combustion. | For Examiner's Use |
|-----|------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|--------------------------|
| | | |
| | | |
| | | [2] |
| (d) | A 1.00 cm ³ sample of $C_{14}H_{30}$ was completely burnt in air. The heat produced raised the temperature of 250 g of water by 34.6 °C. Assume no heat losses occurred during this experiment. The density of $C_{14}H_{30}$ is 0.763 g cm ⁻³ . | |
| | (i) Use relevant data from the <i>Data Booklet</i> to calculate the amount of heat release this experiment. | ed in |
| | | |
| | | |
| | | |
| | | |
| | (ii) Use the data above and your answer to (i) to calculate the energy produced by combustion of 1 mol of $\rm C_{14}H_{30}$. | the |
| | | |
| | | |
| | | |
| | | [5] |
| | [Total: | |
| | [Total. | |
| | | |
| | | |
| | | |
| | | |

For Examiner's Use

- 3 The elements of Group VII of the Periodic Table show variation in their properties.
 - (a) (i) Complete the table below, stating the colour of each element in its normal state at room temperature.

| halogen | melting point/°C | colour |
|----------|------------------|--------|
| chlorine | -101 | |
| bromine | - 7 | |
| iodine | 114 | |

| (ii) | Briefly explain iodine. | why the | melting | points | of the | halogens | increase | from | chlorine | to |
|------|-------------------------|---------|---------|--------|--------|----------|----------|------|----------|---------|
| | | | | | | | | | | |
| | | | | | | | | | | |
| | | | | | | | | | | [4] |

- **(b)** The halogens form many interhalogen compounds in which two different halogens are combined. One such compound is bromine monochloride, BrC1.
 - (i) Complete the electronic configurations of chlorine and bromine.

| chlorine | 1s ² 2s ² 2p ⁶ |
|----------|-------------------------------------------------|
| bromine | 1s ² 2s ² 2p ⁶ |

(ii) Draw a 'dot-and-cross' diagram of the BrC1 molecule. Show outermost electrons only.

[2]

For

Use

(c) Interhalogen compounds like BrC*l* have similar properties to the halogens. Examiner's (i) By considering your answers to (a) and (b), predict the physical state of BrC1 at room temperature. Explain your answer. physical state explanation (ii) Suggest the colour of BrC1. [4] (d) Cl_2 and BrCl each react with aqueous KI. (i) Describe what would be seen when Cl_2 is bubbled through aqueous KI for several minutes. initially after several minutes (ii) Construct an equation for the reaction that occurs. (iii) Suggest an equation for the reaction that occurs between BrCl and aqueous KI. (iv) How do Cl₂ and BrCl behave in these reactions? [5] [Total: 15]

[Turn over © UCLES 2013 9701/23/O/N/13

| For |
|------------|
| Examiner's |
| Use |

4 Compound \mathbf{Q} is a viscous liquid which is very soluble in water. The M_r of \mathbf{Q} is 90.0.

Three possible structures for **Q** are shown below.

| R | S | Т |
|-----------------------------------------------------|---------------------------------------------------|-----------------------------------------------------|
| HOCH ₂ CH ₂ CO ₂ H | HOCH ₂ CO ₂ CH ₃ | HCO ₂ CH ₂ CH ₂ OH |

| (a) (i) |) What type of isomerism do R, S and T show? | | |
|---------|---------------------------------------------------------------------------------------------------------------------------|--|--|
| | | | |
| (ii) | What oxygen-containing functional groups are present in R , S and T ? Give their full names . | | |
| | R and | | |
| | S and | | |
| | T and | | |
| (iii) |) Which functional group(s) in (ii) will react with sodium carbonate? | | |
| | | | |
| (iv) | Which functional group(s) in (ii) will react with sodium metal? | | |
| | [6] | | |

- **(b)** When $0.002\,\text{mol}$ of **Q** is reacted with an excess of solid sodium carbonate, Na_2CO_3 , $24\,\text{cm}^3$ of carbon dioxide, measured at room temperature and pressure, is produced.
 - (i) Calculate the amount, in moles, of carbon dioxide produced in this reaction.
 - (ii) Hence calculate the amount, in moles, of carbon dioxide produced by 1 mol of Q.

[2]

When $0.002\,\text{mol}$ of \mathbf{Q} is reacted with an excess of metallic sodium, $48\,\text{cm}^3$ of hydrogen, measured at room temperature and pressure, is produced.

For Examiner's Use

| (c) | (i) | Calculate the amount, in moles, of hydrogen molecules produced in this reaction. | |
|-----|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------|---------------------------------------------------------------------------------------------|--|
| | (ii) | Hence calculate the amount, in moles, of hydrogen molecules produced by 1 mol of Q . | |
| | | [2] | |
| (d) | Use your answers to (b) and (c) to deduce which structure, R, S or T, corresponds to the structure of Q and write balanced equations for the reactions that occurred. | | |
| | identity of Q is | | |
| | equ | ation for reaction with sodium carbonate | |
| | | | |
| | equ | ation for reaction with sodium metal | |
| | | [5] | |
| | | [Total: 15] | |
| | | | |

5 The molecular formula C₄H₉OH represents four different alcohols, **W**, **X**, **Y** and **Z**.

For Examiner's Use

| W | X | Y | Z |
|--------------------------------------------------------------------|-------------------------------------------------------|------------------------------------------------------|-------------------------------------|
| CH ₃ CH ₂ CH ₂ CH ₂ OH | CH ₃ CH ₂ CH(OH)CH ₃ | (CH ₃) ₂ CHCH ₂ OH | (CH ₃) ₃ COH |

(a) Draw the skeletal formula of Z.

[1]

(b) Acidified potassium dichromate(VI) is used as an oxidising agent in organic chemistry.

Give the **structural formula** of the organic product formed when **each** of the four alcohols above is heated under reflux with acidified potassium dichromate(VI). If you believe that no reaction occurs, write 'no reaction' in the box.

| w | |
|---|--|
| x | |
| Y | |
| z | |

[4]

(c) One of the alcohols, W, X, Y or Z, can be dehydrated to give more than one organic product.

For Examiner's Use

Identify this alcohol and give the structural formulae of two of the products.

| alcohol | |
|-----------|--|
| product 1 | |
| product 2 | |

[2]

[Total: 7]

12

BLANK PAGE

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.