

1. A jar contains 2 red, 1 blue and 1 green bead. Two beads are drawn at random from the jar without replacement.

(a) In the space below, draw a tree diagram to illustrate all the possible outcomes and associated probabilities. State your probabilities clearly. (3)

(b) Find the probability that a blue bead and a green bead are drawn from the jar. (2)



4. There are 180 students at a college following a general course in computing. Students on this course can choose to take up to three extra options.

112 take systems support,
70 take developing software,
81 take networking,
35 take developing software and systems support,
28 take networking and developing software,
40 take systems support and networking,
4 take all three extra options.

- (a) In the space below, draw a Venn diagram to represent this information. (5)

A student from the course is chosen at random.

Find the probability that this student takes

- (b) none of the three extra options, (1)
- (c) networking only. (1)

Students who want to become technicians take systems support and networking. Given that a randomly chosen student wants to become a technician,

- (d) find the probability that this student takes all three extra options. (2)



5. The probability function of a discrete random variable X is given by

$$p(x) = kx^2 \quad x = 1, 2, 3$$

where k is a positive constant.

- (a) Show that $k = \frac{1}{14}$ **(2)**

Find

- (b) $P(X \geq 2)$ **(2)**
- (c) $E(X)$ **(2)**
- (d) $\text{Var}(1 - X)$ **(4)**



6. The blood pressures, p mmHg, and the ages, t years, of 7 hospital patients are shown in the table below.


Patient	A	B	C	D	E	F	G
t	42	74	48	35	56	26	60
p	98	130	120	88	182	80	135

$$[\sum t = 341, \sum p = 833, \sum t^2 = 18\,181, \sum p^2 = 106\,397, \sum tp = 42\,948]$$

- (a) Find S_{pp} , S_{tp} and S_{tt} for these data. (4)
- (b) Calculate the product moment correlation coefficient for these data. (3)
- (c) Interpret the correlation coefficient. (1)
- (d) On the graph paper on page 17, draw the scatter diagram of blood pressure against age for these 7 patients. (2)
- (e) Find the equation of the regression line of p on t . (4)
- (f) Plot your regression line on your scatter diagram. (2)
- (g) Use your regression line to estimate the blood pressure of a 40 year old patient. (2)



Question 6 continued



7. The heights of a population of women are normally distributed with mean μ cm and standard deviation σ cm. It is known that 30% of the women are taller than 172 cm and 5% are shorter than 154 cm.

(a) Sketch a diagram to show the distribution of heights represented by this information. (3)

(b) Show that $\mu = 154 + 1.6449\sigma$. (3)

(c) Obtain a second equation and hence find the value of μ and the value of σ . (4)

A woman is chosen at random from the population.

(d) Find the probability that she is taller than 160 cm. (3)



