

Mark Scheme (Results)

January 2012

GCE Biology (6BI02) Paper 01
Development, Plants & Environment

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please call our GCE line on 0844 576 0025, our GCSE team on 0844 576 0027, or visit our qualifications website at www.edexcel.com.

For information about our BTEC qualifications, please call 0844 576 0026, or visit our website at www.btec.co.uk.

If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

Ask The Expert can be accessed online at the following link:

<http://www.edexcel.com/Aboutus/contact-us/>

Alternatively, you can contact our Science Subject Advisor directly by sending an email to ScienceSubjectAdvisor@EdexcelExperts.co.uk.

You can also telephone 0844 576 0037 to speak to a member of our subject advisor team.

(If you are calling from outside the UK please dial + 44 1204 770 696 and state that you would like to speak to the Science subject specialist).

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

January 2012

Publications Code US030195

All the material in this publication is copyright

© Pearson Education Ltd 2012

GENERAL INFORMATION

The following symbols are used in the mark schemes for all questions:

Symbol	Meaning of symbol
; semi colon	Indicates the end of a marking point
Eq	Indicates that credit should be given for other correct alternatives to a word or statement, as discussed in the Standardisation meeting
/ oblique	Words or phrases separated by an oblique are alternatives to each other
{ } curly brackets	Indicate the beginning and end of a list of alternatives (separated by obliques) where necessary to avoid confusion
() round brackets	Words inside round brackets are to aid understanding of the marking point but are not required to award the point
[] square brackets	Words inside square brackets are instructions or guidance for examiners
[CE] or [TE]	Consecutive error / transferred error

Crossed out work

If a candidate has crossed out an answer and written new text, the crossed out work can be ignored. If the candidate has crossed out work but written no new text, the crossed out work for that question or part question should be marked, as far as it is possible to do so.

Spelling and clarity

In general, an error made in an early part of a question is penalised when it occurs but not subsequently. The candidate is penalised once only and can gain credit in later parts of the question by correct reasoning from the earlier incorrect answer.

No marks are awarded specifically for quality of language in the written papers, except for the essays in the synoptic paper. Use of English is however taken into account as follows:

- the spelling of technical terms must be sufficiently correct for the answer to be unambiguous
e.g. for amylase, 'ammalase' is acceptable whereas 'amylose' is not
e.g. for glycogen, 'glicojen' is acceptable whereas 'glucagen' is not
e.g. for ileum, 'illeum' is acceptable whereas 'ilium' is not
e.g. for mitosis, 'mytosis' is acceptable whereas 'meitosis' is not
- candidates must make their meaning clear to the examiner to gain the mark.
- a correct statement that is contradicted by an incorrect statement in the same part of an answer gains no mark - irrelevant material should be ignored

Question Number	Answer	Mark
1(a) (i)	B ;	(1)

Question Number	Answer	Mark
1(a) (ii)	A ;	(1)

Question Number	Answer	Mark
1(a) (iii)	B ;	(1)

Question Number	Answer	Mark
1(a) (iv)	A ;	(1)

Question Number	Answer	Mark
1(a) (v)	C ;	(1)

Question Number	Answer	Mark
*1(b)QWC	<p>(QWC - Spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> 1. <i>nucleolus</i> {disappears / breaks down} / eq ; 2. <i>nuclear</i> {envelope/membrane} breaks down / eq ; 3. <i>centrioles</i> move to (opposite) poles / <i>centrioles</i> separate / eq ; 4. {<i>spindle</i> / <i>spindle</i> fibres / <i>asters</i>} form / are visible / are produced by <i>centrioles</i> / eq ; 5. {<i>chromosomes</i> / <i>chromatids</i>} become visible / eq ; 6. {<i>chromosome</i> / <i>chromatid</i> / <i>chromatin</i> } condenses / DNA coils / eq ; 7. (chromosomes can be seen as) {pairs of /sister } <i>chromatids</i> / eq ; 8. correct reference to <i>centromere</i> (holding chromatids in pairs) ; 	(5)

Question Number	Answer	Mark
2 (a)	<ol style="list-style-type: none"> 1. natural ; 2. evolution / speciation / reproduction; 3. behavioural ; 	(3)

Question Number	Answer	Mark								
2 (b)	<table border="1" data-bbox="389 315 1238 752"> <thead> <tr> <th data-bbox="389 315 919 383">Description</th> <th data-bbox="919 315 1238 383">Adaptation</th> </tr> </thead> <tbody> <tr> <td data-bbox="389 383 919 517">Hearing becoming temporarily less sensitive after listening to a loud music for a few hours</td> <td data-bbox="919 383 1238 517">Physiological ;</td> </tr> <tr> <td data-bbox="389 517 919 618">Heart beats faster when the hormone adrenaline is released</td> <td data-bbox="919 517 1238 618">Physiological ;</td> </tr> <tr> <td data-bbox="389 618 919 752">People in a cold climates having a shorter neck than people living in hot, dry conditions</td> <td data-bbox="919 618 1238 752">Anatomical ;</td> </tr> </tbody> </table>	Description	Adaptation	Hearing becoming temporarily less sensitive after listening to a loud music for a few hours	Physiological ;	Heart beats faster when the hormone adrenaline is released	Physiological ;	People in a cold climates having a shorter neck than people living in hot, dry conditions	Anatomical ;	(3)
Description	Adaptation									
Hearing becoming temporarily less sensitive after listening to a loud music for a few hours	Physiological ;									
Heart beats faster when the hormone adrenaline is released	Physiological ;									
People in a cold climates having a shorter neck than people living in hot, dry conditions	Anatomical ;									

Question Number	Answer	Mark
3 (a)	<p>1. year 1 ;</p> <p>2. {more / eq } species present (in year 1) / greater variety of species ;</p> <p>Ignore references to abundance.</p>	(2)

Question Number	Answer	Mark
3 (b)(i)	mitosis ;	(1)

Question Number	Answer	Mark
3 (b)(ii)	<p>1. low genetic diversity is {few / low number of / less / eq} different <u>alleles</u> in the {gene pool / population / species} / small gene pool / eq ;</p> <p>2. (asexual reproduction leads to) all offspring being {<u>genetically</u> identical / clones / same genotype / same <u>alleles</u> } ;</p> <p>3. no meiosis/ no recombination of genetic material / eq;</p> <p>4. idea of variation only possible as a result of mutation ;</p>	(2)

Question Number	Answer	Mark
* 3 (c)	<p>(QWC - Spelling of technical terms must be correct and the answer must be organised in a logical sequence)</p> <ol style="list-style-type: none"> 1. (description of how to vary the independent variable) Idea of at least 5 different nitrate (ion) concentrations ; 2. Reference to repeats at each concentration ; 3. (measuring of dependent variable) <p>Increase in {length/mass/ height} ;</p> <ol style="list-style-type: none"> 4. use plants that are genetically {similar / same} / same age / same original {height/ size / mass} of plant ; 5. & 6. Controlling abiotic factors, maximum 2 from list: <ul style="list-style-type: none"> • time (at least a week) allowed for growth • other mineral ions constant • temperature • light (intensity) • water provided • pH of {solution / soil} • CO₂ concentration ;; 7. idea of control described, e.g. no nitrate/ soil with no extra nitrate ; 	(5)

Question Number	Answer	Mark
4 (a) (i)	<ol style="list-style-type: none"> 1. centre of point added to graph at 700μm for 10% ; 2. error bar from 720 μm to 680 μm ; 3. points correctly joined by neat ruled straight lines ; 	(3)

Question Number	Answer	Mark
4 (a) (ii)	<ol style="list-style-type: none"> 1. up to 10% sucrose, {an increase in sucrose increases (mean) length of pollen tube / positive correlation } / eq ; 2. greatest increase between 5% and 10%/ eq ; 3. greatest (mean length of pollen tube) at 10% / eq ; 4. idea that above 10% the pollen tubes are shorter e.g. negative effect or correlation ; 5. credit correct manipulation of the data e.g. 570-580 μm longer when grown in 10% sucrose compared to 0% sucrose ; 6. appropriate comment on significance of overlapping {error / range} bars between {5% and 30% / 10% and 20%} ; 	(3)

Question Number	Answer	Mark
4(b)	<ol style="list-style-type: none"> 1. idea of {forms a pathway/ grows down } through the style / eq ; 2. grows towards { ovary / ovule / micropyle / egg cell / eq} ; 3. reference to digestive enzymes; 4. transports {generative nucleus / haploid nuclei / male gametes / eq} / eq ; 5. fuses with embryo sac (membrane) / tip breaks down when it enters the micropyle / allows male nuclei to enter embryo sac /eq ; 	(3)

Question Number	Answer	Mark
5 (a) (i)	Archaea / Archaeobacteria / eq ;	(1)

Question Number	Answer	Mark
5 (a)(ii)	Peer review / conclusions drawn from data are { logical / valid / eq } / data are {acceptable / reliable} / check for plagiarism ;	(1)

Question Number	Answer	Mark
5 (a)(iii)	<p>Any two from:</p> <ol style="list-style-type: none"> 1. (scientific) conference/ poster / presentation/ seminar / lecture ; 2. internet / eq, e.g. websites - blogs ; 3. book / scientific magazine ; 	(2)

Question Number	Answer	Mark
5 (a)(iv)	<p>1. idea of {checking his methods / repeating experiments / eq} ;</p> <p>2. to collect more data / review his data / test his results / eq ;</p> <p>3. to see if his results could be replicated / check reliability of data / eq ;</p>	(2)

Question Number	Answer	Mark																	
5 (b)	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th rowspan="2">Feature</th> <th colspan="2">Domain</th> </tr> <tr> <th>Bacteria</th> <th>Eukaryota</th> </tr> </thead> <tbody> <tr> <td>Ribosomes</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Smooth endoplasmic reticulum</td> <td style="text-align: center;">x</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Cell (surface) membrane</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">✓</td> </tr> <tr> <td>Slime capsule</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">x</td> </tr> </tbody> </table> <p>;;;;</p> <p>Any two correct for one mark</p>	Feature	Domain		Bacteria	Eukaryota	Ribosomes	✓	✓	Smooth endoplasmic reticulum	x	✓	Cell (surface) membrane	✓	✓	Slime capsule	✓	x	(4)
Feature	Domain																		
	Bacteria	Eukaryota																	
Ribosomes	✓	✓																	
Smooth endoplasmic reticulum	x	✓																	
Cell (surface) membrane	✓	✓																	
Slime capsule	✓	x																	

Question Number	Answer	Mark
6 (a)	1. plants can be {re-grown / sustainable / eq} OR starch {renewable / sustainable} OR <u>oil</u> is { non- sustainable / non-renewable eq} ; 2. idea of biodegradability ; 3. idea of cheapness ;	(2)

Question Number	Answer	Mark												
6 (b)	<table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Statement</th> <th>Starch</th> <th>Cellulose</th> </tr> </thead> <tbody> <tr> <td>Consists of microfibrils held together by hydrogen bonds</td> <td style="text-align: center;">x</td> <td style="text-align: center;">x</td> </tr> <tr> <td>Found in amyloplasts</td> <td style="text-align: center;">✓</td> <td style="text-align: center;">x</td> </tr> <tr> <td>Made up of β-glucose monomers</td> <td style="text-align: center;">x</td> <td style="text-align: center;">✓</td> </tr> </tbody> </table> <p>1 mark for each correct row ;;;</p>	Statement	Starch	Cellulose	Consists of microfibrils held together by hydrogen bonds	x	x	Found in amyloplasts	✓	x	Made up of β -glucose monomers	x	✓	(3)
Statement	Starch	Cellulose												
Consists of microfibrils held together by hydrogen bonds	x	x												
Found in amyloplasts	✓	x												
Made up of β -glucose monomers	x	✓												

Question Number	Answer	Mark
6 (c)(i)	1. chloroplast (s) ;	(1)

Question Number	Answer	Mark
6 (c)(ii)	<ol style="list-style-type: none"> 1. (it has) ribosomes {floating / inside membrane / eq}/ in rER {ribosomes not floating / are attached (to membranes) / not inside} / eq ; 2. it has DNA / rER does not contain DNA / eq ; 3. idea of presence of internal membranes e.g. thylakoid membrane, grana ; 4. (it has) a {double membrane / envelope}/ rER does not have a {double membrane / envelope} / eq ; 5. no {flattened sacs / cisternae} / eq ; 6. contains starch / eq ; 	(2)

Question Number	Answer	Mark
6 (d)	<ol style="list-style-type: none"> 1. <u>both</u> are used for (structural) support / eq ; 2. only xylem (vessels) transport water / eq ; 3. only xylem (vessels) transport mineral ions / eq ; <p>allow converse for 2nd and 3rd marking points</p>	(3)

Question Number	Answer	Mark
7 (a)	<p>1. positive correlation (between concentration of extract and diameter of zone of inhibition / eq ;</p> <p>2. decrease small between 100 and 60% / larger decrease {between 60 and 20% / below 60%} / eq</p> <p>OR idea of difference in gradient before and after 60% ;</p> <p>3. idea of direct proportionality {above / below} 60% e.g. linear {above / below} 60% ;</p> <p>4. correct manipulation of the data (e.g. diameter decreased by 10mm as concentration of extract drops by 80% / from 100% to 20%) ;</p> <p>allow converse statements referring to increase in concentration of extract</p> <p>Ignore reference to rate</p>	(3)

Question Number	Answer	Mark
7 (b)	<p>1. 100% /full strength / eq ;</p> <p>2. largest zone of inhibition / eq ;</p> <p>3. means most bacteria {killed / not reproducing / prevented from growing } / fewer bacteria able to grow / eq ;</p> <p>4. faster diffusion at higher concentration / eq ;</p>	(3)

Question Number	Answer	Mark
7 (c)	(disc) {soaked (only) in water / with no garlic extract on it / 0% garlic extract } / eq ;	(1)

Question Number	Answer	Mark
7 (d)	<ol style="list-style-type: none"> 1. so no { bacteria/ fungi / microbes } (alive) on them / prevents contamination by microbes/ eq ; 2. that could be {harmful / pathogenic / eq} ; 3. idea that could compete with {<i>Micrococcus luteus</i> / those on the plate} / affect growth of <i>Micrococcus luteus</i> / eq ; 	(2)

Question Number	Answer	Mark
7(e)	<ol style="list-style-type: none"> 1. reference to increase in zone of inhibition / reference all results would have shown an equal zone of inhibition ; 2. alcohol would have killed {the bacteria in the plate / named bacteria} / alcohol is antimicrobial / eq ; <p style="text-align: center;">OR</p> <ol style="list-style-type: none"> 1. reference to decrease in zone of inhibition; 2. extract may have been { diluted / effectiveness reduced by the alcohol / eq } ; 	(2)

Question Number	Answer	Mark
8 (a) (i)	D ;	(1)

Question Number	Answer	Mark
8 (a) (ii)	B ;	(1)

Question Number	Answer	Mark
8 (a) (iii)	C ;	(1)

Question Number	Answer	Mark
8 (b) (i)	maze dull/ maze bright / eq ; ACCEPT maze running ability	(1)

Question Number	Answer	Mark
8 (b) (ii)	Any two from: 1. breed of rat / eq ; 2. age of rats / eq ; 3. sex of rats / eq ; 4. physiological state / provided with same diet / eq ; 5. maze (arrangement) / eq ; 6. number of attempts at maze / eq ; 7. environment conditions e.g. temperature, lighting ; 8. (type of) toy / eq ;	(2)

Question Number	Answer	Mark
8 (b) (iii)	<ol style="list-style-type: none"> 1. same (for both) in poor conditions / eq ; 2. {improved / fewer errors} for both in enriched conditions (compared with poor) / eq ; 3. In enriched conditions, {improved / fewer errors} made by maze-bright (than maze dull) / little difference / eq ; 4. correct manipulation of the data e.g. 40 arbitrary units fewer errors in maze-bright rats from enriched compared to poor conditions <p>OR 2 arbitrary units better for maze-bright than maze-dull in enriched conditions ;</p>	(3)

Question Number	Answer	Mark
8 (b) (iv)	<ol style="list-style-type: none"> 1. idea of fewer errors ; 2. idea that this is due to the environment e.g. more toys, more stimulating environment ; 	(2)

Question Number	Answer	Mark
8 (b)(v)	<ol style="list-style-type: none"> 1. no difference / eq ; 2. idea of having {maximum potential / genetic potential / eq} ; 	(2)

Further copies of this publication are available from
International Regional Offices at www.edexcel.com/international

For more information on Edexcel qualifications, please visit
www.edexcel.com

Alternatively, you can contact Customer Services at
www.edexcel.com/ask or on + 44 1204 770 696

Pearson Education Limited. Registered company number 872828
with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE

Ofqual




Llywodraeth Cynulliad Cymru
Welsh Assembly Government



Rewarding Learning