

Mark Scheme (Results)

January 2014

International GCSE Chemistry (4CHO) Paper 2C

Edexcel Level 1/Level 2 Certificates Chemistry (KCHO) Paper 2C

#### **Edexcel and BTEC Qualifications**

Edexcel and BTEC qualifications are awarded by Pearson, the UK's largest awarding body. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information visit our qualifications websites at <a href="https://www.edexcel.com">www.edexcel.com</a> or <a href="https://www.btec.co.uk">www.btec.co.uk</a>. Alternatively, you can get in touch with us using the details on our contact us page at <a href="https://www.edexcel.com/contactus">www.edexcel.com/contactus</a>.

#### Pearson: helping people progress, everywhere

Pearson aspires to be the world's leading learning company. Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: <a href="https://www.pearson.com/uk">www.pearson.com/uk</a>

January 2014
Publications Code UG037621
All the material in this publication is copyright
© Pearson Education Ltd 2014

#### **General Marking Guidance**

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

	Question number			Answer	Notes	Marks
1	а			cross in box C (neutrons and protons)		1
	b	i		6		1
		ii		14		1
	С			cross in box B (the numbers of electrons and protons are equal)		1
	d		M1	same number of protons / (they both have) 6 protons	Ignore references to electrons	1
			M2	different numbers of neutrons / more neutrons	If number of extra neutrons specified, it must be 2 Reject different numbers of electrons	1
					Ignore references to atomic number and mass number	
	е			cross in box B (2.4)		1
T	) T <i>A</i>	A L				7


	uesti umb			Answer	Notes	Marks
2	a			bromine AND iodine	Accept symbols and formulae Do not accept names or formulae of ions	1
	b	i		hydrogen chloride	Ignore gas	1
				hydrochloric acid	Ignore aqueous / solution / dilute / concentrated	1
					Award 1 for both correct names in wrong places	
			M1	white smoke/solid/ cloud	Accept ring Reject precipitate Ignore powder / fumes	1
			M2	$NH_3 + HCI \rightarrow NH_4CI$	Ignore state symbols	1
		iii	M1	white precipitate		1
			M2	aq s aq	Award 1 for s and 1 for both aq	2

	Question number		Answer	Notes	Marks
2	С	i	hydrogen / H <sub>2</sub>	Ignore H	1
			becomes smaller / disappears	Accept dissolves Ignore references to bubbles	1
			acidic / contains (hydrochloric) acid / hydrogen ions / H <sup>+</sup> (ions)	Accept pH below 7 or any value below 7	1
		IV	not acidic / no (hydrochloric) acid (formed) / no hydrogen ions / no H <sup>+</sup> (ions) OR HCI/hydrogen chloride does not ionise / dissociate	Reject references to alkali(ne) or pH above 7 Ignore neutral Do not accept it/hydrochloric acid in place of HCI	1
T	0 T	A L			12

	Question number		Answer					Notes	Marks
3	a			tungsten(\	/I) oxide	/ tungsten tr	ioxide	Accept tungsten oxide Reject tungsten oxide with other oxidation numbers or prefixes such as mono- and di-	1
		ii		(1) 3	(1)	3		Accept multiples and fractions	1
				loss of oxy	gen (by	it / tungsten	/ tungsten oxide)	Accept decrease in oxidation number of tungsten Accept tungsten <u>ions</u> gain electrons	1
	b		M1	Ca 13.9 40 OR		W 63.9 184	0 22.2 16	Apply ECF 0/3 for use of any atomic numbers / division wrong way round / multiplication If division by 32 instead of 16 for O, then no M1, but M2 and M3 can score by ECF (CaWO <sub>2</sub> ) If any transcription error (eg 69.3 in place	1
								of 63.9), then no M1, but M2 and M3 can score by ECF	
			M2	0.34 0.34 OR 1:1:4	<u>48</u> 47	0.347 0.347	1.39 0.347		1
			M3	CaWO <sub>4</sub>				Accept elements in any order Correct final answer scores 3	1

	Question number			Answer	Notes	Marks
3	С	İ	M1	59.6 × 184 298	Award 1 for $n(WF_6) = 0.2$ mol and any sight of 0.2	1
			M2	36.8 (g)	No ECF from incorrect expression except for transcription error - eg using 289 instead of 298 ECF from incorrect number of moles Award 2 for correct final answer	1
		ii	M1	47.5 × 100 52.0		1
			M2	91.3 (%)	Accept any answer in range 91 - 91.4 Do not penalise excessive numbers of dp Award 2 for correct final answer	1
Τ (	Э T <i>а</i>	A L				14

	uesti umb			Answer	Notes	Marks 1
4	a		M1	concentration	Ignore from the same bottle	
			M2	temperature / same temperature as acid	<u>.</u>	1
					Accept in either order Ignore references to volume	
	b		M1 M2	19.4 16.9	Award 1 for both temperatures correct but in wrong order	1
			M3	(+)2.5	CQ on temperatures recorded Penalise negative sign	1
	С	i		cross in box D (The volume of acid used was 50.0 cm³ instead of 25.0 cm³)		1
		ii		cross in box D (The alkali was added in 10.0 cm <sup>3</sup> portions but were recorded as 5.0 cm <sup>3</sup> portions)		1
	d		M1 M2	all points plotted correctly to nearest gridline	Deduct 1 for each error If points not visible beneath line, assume them to be on the line	2
			M3	straight line of best fit through first 4 points	Lines must be drawn with a ruler	1
	-5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5 - 5		M4	straight line of best fit through last 3 points	Penalise freehand once only ECF on incorrectly plotted points	1



	Question number		Answer		Notes	Marks
4	е		M1	volume of alkali CQ on where lines cross	Accept answer to nearest gridline to min 1 dp	1
			M2	maximum temperature CQ on where lines cross	Accept answer to nearest gridline to min 1 dp	1
					Penalise missing dp once only If both values correct but in wrong order, award 1/2 0/2 if lines do not cross	
	f	i	M1	0.650 × 0.025		1
		-	M2	0.01625 / 0.0163	16.25 scores 1/2 Accept 0.016 and 0.0162	1
		ii	M1	0.0325	CQ on fi	1
		iii	M1	0.0325 × 1000 0.500	CQ on fii	1
			M2	65 (cm <sup>3</sup> )	If M1 wrong because ×1000 missing, then award M2 by ECF Penalise failure to use 1000 once only	1
					in i and iii  Do not penalise rounding of intermediate answers and consequent	
					final answer eg 65.2  If final answer obtained by use of $ \underline{V_1M_1} = \underline{V_2M_2} $	
					$n_1$ $n_2$ both marks may be awarded in iii	
Т	0 T <i>i</i>	A L				18

	iestio umbei	1	Answer	Notes	
5	а		cross in box C (fractional distillation)		1
	b	M1	larger molecules in crude oil	Accept longer (chains)/ bigger $M_r$ in place of larger Accept molecules in crude oil have wide range of sizes AND molecules in kerosene have similar sizes	4
		M2	more covalent bonds in crude oil (molecules) / bonds have different strengths	Accept no difference / same type of covalent bonding Reject references to double bonds in kerosene	
		M3	crude oil has higher viscosity	Accept less runny / less thick	
		M4	correct reference to other difference - eg crude oil darker colour crude oil harder to ignite crude oil burns with a smokier flame crude oil has a higher boiling point / wider range of boiling points		
				Any three points from four Accept converse statements for (molecules in) kerosene	
	С	i	C <sub>9</sub> H <sub>20</sub>	Accept H <sub>20</sub> C <sub>9</sub>	1
		ii	pentane		1
		iii	H H C=C H H	Ignore bond angles Ignore dot and cross diagram Ignore non-displayed formulae	1

	Question number		Answer			Notes	
5	d		M1 M2	H CI -C-C- H H	(ignore Accept M2 for contin atoms Cl <sub>2</sub> in p	4 correct atoms joined to 2 C atoms e C=C and extra atoms joined to C) t CI in any position of four all 7 bonds correct provided that uation bonds are shown but have no attached place of CI but otherwise correct scores t not M1 brackets and any subscript	1
	е			(in condensation polymerisation) a small molecule/H <sub>2</sub> O/HCl is (also) formed /lost/released OR two (different) monomers / more than one product	polyme eg (on	t converse statement for addition erisation ly) one product formed toms are lost/gained	1
						eference to type of polymerisation, e that condensation is referred to	
	<u> </u>	lii	M1	breakdown / decomposition	Ignore	wear away / rot	1
			M2	by bacteria/microbes/micro-organisms	Accep	t biologically / naturally o on M1 or near miss	1
		iii		inert(ness)		t unreactive / non-polar strong bonds / long chains	1
Τ (	O T .	A L					13

www.dynamicpapers.com

Pearson Education Limited. Registered company number 872828 with its registered office at Edinburgh Gate, Harlow, Essex CM20 2JE