www.dynamicpapers.com

Please check the examination details before entering your candidate information

Candidate surname	Other names

Pearson Edexcel
International Advanced Level

Centre Number | | | | | |

Candidate Number | | | | |

Tuesday 7 May 2019

Afternoon (Time: 1 hour 20 minutes) | Paper Reference **WCH13/01**

Chemistry

International Advanced Subsidiary / Advanced Level
Unit 3: Practical Skills in Chemistry I

Candidates must have: Scientific calculator
Ruler

Total Marks

Instructions

- Use **black** ink or **black** ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*

Information

- The total mark for this paper is 50.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*
- You will be assessed on your ability to organise and present information, ideas, descriptions and arguments clearly and logically, including your use of grammar, punctuation and spelling.
- There is a Periodic Table on the back page of this paper.

Advice

- Read each question carefully before you start to answer it.
- Show all your working in calculations and include units where appropriate.
- Check your answers if you have time at the end.

Turn over ▶

P61477A

©2019 Pearson Education Ltd.

2/1/1/1/1/

P 6 1 4 7 7 A 0 1 1 6

Pearson

Scanned with CamScanner

www.dynamicpapers.com

Pearson Edexcel

Mark Scheme (Results)

October 2019

Pearson Edexcel International Advanced Level
In Chemistry (WCH13)
Paper 01 Practical Skills in Chemistry I

Scanned with CamScanner

www.dynamicpapers.com

Edexcel and BTEC Qualifications

Edexcel and BTEC qualifications come from Pearson, the world's leading learning company. We provide a wide range of qualifications including academic, vocational, occupational and specific programmes for employers. For further information, please visit our website at www.edexcel.com.

Our website subject pages hold useful resources, support material and live feeds from our subject advisors giving you access to a portal of information. If you have any subject specific questions about this specification that require the help of a subject specialist, you may find our Ask The Expert email service helpful.

www.edexcel.com/contactus

Pearson: helping people progress, everywhere

Our aim is to help everyone progress in their lives through education. We believe in every kind of learning, for all kinds of people, wherever they are in the world. We've been involved in education for over 150 years, and by working across 70 countries, in 100 languages, we have built an international reputation for our commitment to high standards and raising achievement through innovation in education. Find out more about how we can help you and your students at: www.pearson.com/uk

October 2019
Publications Code WCH13_01_1910_MS
All the material in this publication is copyright
© Pearson Education Ltd 2019

Scanned with CamScanner

www.dynamicpapers.com

General Marking Guidance

- All candidates must receive the same treatment. Examiners must mark the first candidate in exactly the same way as they mark the last.
- Mark schemes should be applied positively. Candidates must be rewarded for what they have shown they can do rather than penalised for omissions.
- Examiners should mark according to the mark scheme not according to their perception of where the grade boundaries may lie.
- There is no ceiling on achievement. All marks on the mark scheme should be used appropriately.
- All the marks on the mark scheme are designed to be awarded. Examiners should always award full marks if deserved, i.e. if the answer matches the mark scheme. Examiners should also be prepared to award zero marks if the candidate's response is not worthy of credit according to the mark scheme.
- Where some judgement is required, mark schemes will provide the principles by which marks will be awarded and exemplification may be limited.
- When examiners are in doubt regarding the application of the mark scheme to a candidate's response, the team leader must be consulted.
- Crossed out work should be marked UNLESS the candidate has replaced it with an alternative response.

Scanned with CamScanner

www.dynamicpapers.com

Using the Mark Scheme

Examiners should look for qualities to reward rather than faults to penalise. This does NOT mean giving credit for incorrect or inadequate answers, but it does mean allowing candidates to be rewarded for answers showing correct application of principles and knowledge. Examiners should therefore read carefully and consider every response: even if it is not what is expected it may be worthy of credit.

The mark scheme gives examiners:

- an idea of the types of response expected
- how individual marks are to be awarded
- the total mark for each question
- examples of responses that should NOT receive credit.

/ means that the responses are alternatives and either answer should receive full credit.

( ) means that a phrase/word is not essential for the award of the mark, but helps the examiner to get the sense of the expected answer.

Phrases/words in **bold** indicate that the meaning of the phrase or the actual word is **essential** to the answer.

ecf/TE/cq (error carried forward) means that a wrong answer given in an earlier part of a question is used correctly in answer to a later part of the same question.

Candidates must make their meaning clear to the examiner to gain the mark. Make sure that the answer makes sense. Do not give credit for correct words/phrases which are put together in a meaningless manner. Answers must be in the correct context.

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
1(a)(i)	• Na^+/ $Na1^+$/ Na^{+1} •	Ignore sodium and sodium ion Ignore brackets Do not award Na	(1)

Question Number	Answer	Additional guidance	Mark
1(a)(ii)	• Oxygen / O_2 (1) • NO_3^- (1)	Do not award just O Allow O_2^{2-} / ClO_3^- / ClO_4^- / MnO_4^- Do not award NO_2^-/O^{2-}/O^-/ O_2^- Ignore nitrate((V)) / any names	(2)

Question Number	Answer	Additional guidance	Mark
1(b)(i)	• Hydrogen / H_2 (1) • H^+ / H_3O^+ / H^{+1} / H^{1+} / ^+H (1)	Do not award just H Ignore names	(2)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
1(b)(ii)	• **M1** silver chloride / AgCl((s)) (1) • **M2** hydrochloric acid / HCl(aq) (1)	Do not award silver bromide Allow HCl / hydrogen chloride Ignore concentration of the acid Allow TE on HBr/hydrobromic acid if AgBr given as the ppt	**(2)**

(Total for Question 1 = 7 Marks)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
2(a)	• HCl((aq)) / hydrogen chloride / hydrochloric acid	Ignore gas or fumes	(1)

Question Number	Answer	Additional guidance	Mark
2(b)	• Carbon dioxide/CO_2	Ignore gas/ (g)	(1)

Question Number	Answer	Additional guidance	Mark
2(c)(i)	• C = CH_3CH_2COOH (1) • D = $CH_3CH_2CH_2OH$ (1)	Allow skeletal, displayed Ignore connectivity of the OH Allow (1) for two correct formulae with the incorrect number of carbon atoms Allow (1) for two correct formulae the wrong way round Ignore names even if incorrect	(2)

Question Number	Answer	Additional guidance	Mark
2(c)(ii)	• E = CH_3CH_2CHO	Allow skeletal, displayed Ignore names even if incorrect	(1)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
2(c)(iii)	An answer that makes reference to the following points: • test (1) • observation (1)	Example of test: Benedict's / Fehling's Ignore heat Red ppt / solid Allow brown or orange for red Allow Tollens'/silver mirror test Silver mirror / solid Award (1) for acidified dichromate(VI) turns green OR Bradys reagent gives red/orange/yellow **and** solid/precipitate **Allow TE** on propanone **only** in (c)(ii) Benedict's / Fehling's No reaction scores 1/2 Tollens'/silver mirror test No reaction scores 1/2 Acidified dichromate(VI) No reaction scores 1/2 Iodoform reaction Yellow ppt scores 2/2	**(2)**

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
2(d)(i)	An answer that makes reference to the following points: • **M1** mass/volume of water (1) • **M2** starting temperature of water **and** final temperature of water (1) • **M3** mass of burner at the start **and** mass of burner at the end (1)	Ignore any reference to the mass/volume at the end/during the experiment Allow the mass/volume of the beaker and the mass/volume of the beaker plus water Do not award just the amount of water Allow just temperature change/difference (of the water) Ignore any reference to the temperature during the experiment Allow just mass change of the alcohol burner Allow just mass of alcohol/C/D/E before and after heating Do not award measure the volume of the liquid in the burner at the start and end Ignore any reference to time/SHC of water Ignore any reference to liquids/alcohols instead of C, D or E	(3)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
2(d)(ii)	An answer that makes reference to two of the following points: • putting a lid on the beaker (1) • putting a lid on the burner (before and after combustion) (1) • adding a draught shield around the apparatus / insulating the beaker (1) • using copper instead of a glass beaker (1)	Allow top or bung for lid Allow reweigh burner as soon as possible to prevent loss of liquid Do not award insulating the beaker with flammable material Do not award polystyrene cup Ignore any reference to changing apparatus or adding oxygen Ignore stirring the water Ignore changing the volumes of water Ignore burning more (or less) fuel Ignore not allowing the thermometer to touch the beaker Ignore distance of burner from the beaker Do not award drawing a temperature time graph Do not award a closed environment	(2)

(Total for Question 2 = 12 Marks)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Acceptable answers	Additional guidance	Mark
3(a)	An answer that makes reference to one of the following points: • to ensure all the air / oxygen has been removed from the test tube or to ensure only / pure hydrogen is in the test tube or hydrogen-air mixture is explosive	Allow to give time for the hydrogen to fill the test tube Allow to prevent an explosion/blast Ignore just hydrogen is flammable / explosive Ignore any reference to hazards other than explosions	**(1)**

Question Number	Answer		Additional guidance	Mark
3(b)(i)	Measurement	Mass / g	Both correct for the mark	**(1)**
	Mass of test tube	40.27		
	Mass of test tube and copper oxide	43.42		
	Mass of test tube and copper	42.79		
	Mass of copper in copper oxide	2.52		
	Mass of oxygen in copper oxide	0.63		

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
3(b)(ii)	• **M1** calculation of moles of copper (1) • **M2** calculation of moles of oxygen (1) • **M3** (calculation of ratio 1:1) formula of copper oxide (1) **OR** • **M1** % of Cu and O (1) • **M2 %** divided by A_r (1)	Example of calculation: $2.52/63.5 = 0.039685/3.9685 \times 10^{-2}$ Allow fractions Ignore rounding $0.63/16 = 0.039375/3.9375 \times 10^{-2}$ Allow fractions Ignore rounding (0.039685/0.039375 = 1:1)CuO If the mole calculation is reversed only M3 can be awarded 2.52/3.15 x 100 = 80% 0.63/3.15 x 100 = 20% Ignore rounding 80/63.5 = 1.256984 20/16 = 1.25 Ignore rounding (1.26/1.25 =(1:1.(008)) CuO	(3)

Scanned with CamScanner

www.dynamicpapers.com

	• **M3** (calculation of ratio 1:1) formula of copper oxide (1)	TE on incorrect masses and at each stage. Allow any correct rounding to whole numbers in **M3** Ignore SF (including 1 SF)	

Question Number	Answer	Additional guidance	Mark
3(c)(i)	• (pink / red copper) turns black/dark(er)/returns to its original colour	Do not award just turns brown Do not award duller	**(1)**

Question Number	Answer	Additional guidance	Mark
3(c)(ii)	An explanation that makes reference to the following points: • **M1** (it appeared that) less mass of oxygen/ less oxygen was lost or (it appeared that) more mass copper was present (1) **M2** because (some of) the copper has been reoxidised (to copper oxide)/now copper oxide not fully reduced or calculated ratio contained more copper / less oxygen or The formula of the oxide contained more copper eg Cu_2O (1)	Allow (some) copper oxide has been formed	**(2)**

(Total for Question 3 = 8 Marks)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Acceptable answers	Additional guidance	Mark
4(a)	A description that makes reference to the following points: • **M1dissolve** solid in a beaker using distilled / deionised water (1) • **M2** use of volumetric flask (1) • **M3** add washings and make up to mark with distilled / deionised water (1) • **M4** mix the solution in the flask (1) If the solution is made up directly into the volumetric flask	Allow conical flask Allow solid disappears Do not award test-tube Do not award if no vessel mentioned Distilled / deionised water only needs to be mentioned once for M1 and M3 Do not award just pure water Allow volume flask Can be shown in an unlabelled diagram Do not award if the solution is filtered into the volumetric flask Allow any indication of mixing e.g. invert / shake / swirl If M3 is scored M4 must follow M3. Ignore any mention of weighing Distilled / deionised water only needs to be mentioned once for M1 and M3 Do not award just pure water	(4)

Scanned with CamScanner

www.dynamicpapers.com

	• **M1dissolve** solid using distilled / deionised water (1) • **M2** in a volumetric flask (1) • **M3** rinse weighing boat/ funnel and make up to mark with distilled / deionised water (1) • **M4** mix the solution in the flask (1)	Allow any indication of mixing e.g. invert / shake / swirl If M3 is scored M4 must follow M3. Ignore any mention of weighing	

Question Number	Acceptable answers	Additional guidance	Mark
4(b)(i)	• colourless to (pale) pink	Both colours required Do not award red Ignore clear	**(1)**

Question Number	Acceptable answers	Additional guidance	Mark
4(b)(ii)	• (11.90 + 11.70/2) = 11.8(0) (cm^3)		**(1)**

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Acceptable answers	Additional guidance	Mark
4(b)(iii)	• calculation of moles of NaOH (1) • calculation of moles of H_2X in 25 cm^3 (1) • calculation of moles of H_2X in 250 cm^3 (1)	Example of calculation: (11.80 x 0.213 / 1000) = 2.5134 $x10^{-3}$ / 0.0025134 (mol) 2.5134 $x10^{-3}$ /2 = 1.2567 $x10^{-3}$/ 0.0012567 (mol) 1.2567 $x10^{-3}$ x 10 = 1.2567 $x10^{-2}$ / 0.012567 (mol) Allow TE for each stage Ignore incorrect rounding throughout Ignore SF except 1SF Correct answer with or without working scores 3	**(3)**

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Acceptable answers	Additional guidance	Mark
4(b)(iv)	• correct expression (1) • molar mass to 2 or 3 SF (1)	Example of calculation: 1.13 / 1.2567 x10^{-2} (= 89.918) = 90 / 89.9 Allow TE from (b)(iii) Allow commas for decimal points Answer must be to 2 or 3 SF Correct answer with or without working scores 2 Ignore units even if incorrect	**(2)**

Question Number	Answer	Additional guidance	Mark
4(c)(i)	• calculation of percentage uncertainty	Example of calculation: $\frac{0.05 \times 2}{11.70} \times 100 = 0.8547$ (%) = (+/-) 0.9 / 0.85/0.855 (%) IGNORE SF Do not award 0.86% This is the only place where we penalise incorrect rounding in the paper	**(1)**

Scanned with CamScanner


www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
4(c)(ii)	An answer that makes reference to the following points: • **M1** use a more dilute solution of NaOH or use a greater mass of the acid (1) • **M2** To make titration reading larger (and so reduce the % error) (1)	Allow use a greater volume of **acid** Allow just using larger volume Ignore any references to correct procedure	**(2)**

(Total for question 4 = 14 Marks)


Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
5(a)	• **M1** round-bottomed / pear shaped flask containing mixture **and** heat (1) • **M2** vertical condenser with water jacket **and** water flowing in the correct direction (1) • **M3** no gaps and open condenser and apparatus would work (1)	Example of diagram:  M1 Allow unlabelled arrow for heat/ electrical heater Do not award conical flask/flask with no liquid in Ignore anti bumping granules M2 The water in and water out do not have to be at the ends of the condenser. M3 Ignore thermometer in the top of the condenser if it does not seal the apparatus. Do not award if the condenser and flask are one piece of apparatus Allow just M2 for distillation apparatus with correct condenser and water flow	(3)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
5(b)(i)		Allow for the top layer pentane and limonene or just limonene Allow the top layer to fill the funnel Allow water for the bottom layer Do not allow water and limonene for the bottom layer Do not award more than 2 layers Both layers must be labelled	(1)

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
5 (b)(ii)	Any **two** from; • shake / invert (and release the pressure) (1) • (allow to settle) and run off the lower aqueous layer (1) • Run off or pour out the pentane layer (into a fresh container) (1)	Allow TE on incorrect layers in (b)(i) Do no award if the upper layer is decanted off or pipetted out. Do not award if there is no indication of the nature of the layer being run off (or the one left behind) Ignore subsequent distillation/drying etc	**(2)**

Question Number	Answer	Additional guidance	Mark
5(c)	• calculation of percentage of limonene in the orange peel	Example of calculation: $\frac{150 \times 10^{-3}}{23} \times 100$ = 0.65217 (%)/ 6.5217×10^{-1} Ignore SF Ignore rounding errors Correct answer with or without working scores the mark.	**(1)**

Scanned with CamScanner

www.dynamicpapers.com

Question Number	Answer	Additional guidance	Mark
5(d)	• calculation of mol of bromine (1) • (calculation of the ratio of limonene to bromine)and state the number of C=C in limonene (1)	Example of calculation: mol of Br_2 = 0.32 / 160 = 0.002/2.0 $X10^{-3}$ (ratio of mol of limonene to bromine is 1:2) 2 alkene / C=C per molecule of limonene Allow 1 limonene molecule contains a triple bond	**(2)**

(Total for question 5 = 9 Marks)

(TOTAL FOR PAPER 50 MARKS)

Scanned with CamScanner

www.dynamicpapers.com

Pearson Education Limited. Registered company number 872828
with its registered office at 80 Strand, London, WC2R 0RL, United Kingdom

Scanned with CamScanner