www.dynamicpapers.com

Please check the examination details below before entering your candidate information

Candidate surname	Other names

Centre Number | Candidate Number

Pearson Edexcel International GCSE

Time 2 hours

Paper reference **4PM1/02R**

Further Pure Mathematics
PAPER 2R



Calculators may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided
  – *there may be more space than you need.*
- You must **NOT** write anything on the formulae page.
  Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets
  – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.

Turn over ▶

P66307A

©2022 Pearson Education Ltd.

L:1/1/1/1/

P 6 6 3 0 7 A 0 1 3 2

Pearson

www.dynamicpapers.com

International GCSE in Further Pure Mathematics Formulae shee

Mensuration

Surface area of sphere = $4\pi r^2$

Curved surface area of cone = $\pi r \times$ slant height

Volume of sphere = $\frac{4}{3}\pi r^3$

Series

Arithmetic series

Sum to n terms, $S_n = \frac{n}{2}[2a + (n-1)d]$

Geometric series

Sum to n terms, $S_n = \frac{a(1-r^n)}{(1-r)}$

Sum to infinity, $S_\infty = \frac{a}{1-r} \quad |r| < 1$

Binomial series

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \ldots + \frac{n(n-1)\ldots(n-r+1)}{r!}x^r + \ldots \quad \text{for} \quad |x| < 1, n \in \mathbb{Q}$$

Calculus

Quotient rule (differentiation)

$$\frac{\mathrm{d}}{\mathrm{d}x}\left(\frac{\mathrm{f}(x)}{\mathrm{g}(x)}\right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{[\mathrm{g}(x)]^2}$$

Trigonometry

Cosine rule

In triangle ABC: $a^2 = b^2 + c^2 - 2bc\cos A$

$$\tan\theta = \frac{\sin\theta}{\cos\theta}$$

$\sin(A+B) = \sin A \cos B + \cos A \sin B$ $\quad$ $\sin(A-B) = \sin A \cos B - \cos A \sin B$

$\cos(A+B) = \cos A \cos B - \sin A \sin B$ $\quad$ $\cos(A-B) = \cos A \cos B + \sin A \sin B$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B} \qquad \tan(A-B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 Find the set of values for x for which

(a) $5x - 10 > 4x - 7$

(1)

(b) $2x^2 - 11x + 5 < 0$

(3)

(c) **both** $5x - 10 > 4x - 7$ **and** $2x^2 - 11x + 5 < 0$

(1)

(Total for Question 1 is 5 marks)

www.dynamicpapers.com

2 The point A has coordinates $(-7, -1)$ and the point B has coordinates $(3, 4)$

(a) Find an equation of the line that passes through A and B
Give your answer in the form $ax + by + c = 0$ where a, b and c are integers.

(3)

The point C has coordinates $(-3, 7)$

Given that k is a constant such that $AB = kAC$

(b) find the value of k

(2)

The point D has coordinates $(3, p)$ where p is a constant.

Given that CD is perpendicular to AB

(c) find the value of p

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 8 marks)

www.dynamicpapers.com

3 Differentiate with respect to x

(a) $e^{2x}\sqrt{5x-3}$

(

(b) $\dfrac{x^3}{\cos 3x}$

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 3 continued

(Total for Question 3 is 6 marks)

www.dynamicpapers.com

4 The quadratic equation

$$2x^2 + 4x + 3 = 0$$

has roots α and β

(a) Without solving the equation, show that $\alpha^2 + \beta^2 = 1$

(4)

(b) Without solving the equation, find the value of $\alpha^4 + \beta^4$

(3)

(c) Hence form a quadratic equation with integer coefficients that has roots α^4 and β^4

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

www.dynamicpapers.com

Question 4 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 10 marks)

www.dynamicpapers.com

5 A geometric series G has first term 12 and common ratio $\frac{3}{8}$

(a) Find the sum to infinity of G

(2)

(b) Show that the 6th term of G can be written as $\frac{3^6}{2^{13}}$

(3)

The nth term of G is u_n

(c) By finding an expression for u_n in terms of n, show that

$$\log_2 u_n = n\log_2 3 - 3n + 5$$

(5)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 5 continued

www.dynamicpapers.com

Question 5 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 5 continued

(Total for Question 5 is 10 marks)

www.dynamicpapers.com

6 The curve C has equation

$$y = 4\sqrt{x}$$

The point A on C has coordinates (9, 12)

The tangent to C at the point A meets the x-axis at the point T

(a) Find the coordinates of T

(5)

The normal to C at the point A meets the x-axis at the point N

(b) Find the coordinates of N

(4)

(c) Calculate the area of triangle ATN

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 6 continued

(Total for Question 6 is 11 marks)

www.dynamicpapers.com

7 Given that

$$\frac{3 + \sin^2\theta}{\cos\theta - 2} = 3\cos\theta$$

(a) show that $\cos\theta = -\frac{1}{2}$

(4)

(b) Hence solve the equation

$$\frac{3 + \sin^2 3x}{\cos 3x - 2} = 3\cos 3x \quad \text{for } 0° \leqslant x < 180°$$

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

(Total for Question 7 is 8 marks)

www.dynamicpapers.com

8 Liquid drips onto a large horizontal flat cloth, forming a circular stain.

The liquid starts to drip onto the cloth at time $t = 0$

The area of the stain increases at a constant rate of $1.5\,\text{cm}^2/\text{s}$

(a) Find, in terms of π, the radius of the stain at time $t = 4$ seconds.

(3)

(b) Find, in cm/s to 3 significant figures, the rate at which the radius of the stain is increasing at time $t = 4$ seconds.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 8 continued

(Total for Question 8 is 7 marks)

www.dynamicpapers.com

9 Given that α is the acute angle such that $\tan\alpha = \frac{2}{3}$

(a) find the exact value of $\cos\alpha$

(1)




Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows a right pyramid with a rectangular base $ABCD$ and vertex E

The rectangular base of the pyramid is horizontal with $AB = 24$ cm and $BC = 18$ cm.

The diagonals of the base intersect at the point O

The vertex E of the pyramid is vertically above O such that

$$AE = BE = CE = DE = 17 \text{ cm}$$

The height of the pyramid is h cm.

(b) Find the value of h

(3)

The size of the angle between the plane EBC and the plane $ABCD$ is $\theta°$

(c) Show that $\tan\theta° = \frac{2}{3}$

(2)

The point P is the midpoint of EB and the point Q is the midpoint of EC

(d) Find the size, in degrees to one decimal place, of the angle between the plane OPQ and the plane $BCQP$

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 9 continued

www.dynamicpapers.com

Question 9 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com


DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 9 continued

(Total for Question 9 is 10 marks)

www.dynamicpapers.com

10



Di m **NOT** accur drawn

Figure 2

Figure 2 shows part of the curve C_1 with equation $y = \sin x + 1$ and part of the curve C_2 with equation $y = \cos x + 1$

As shown in Figure 2, C_1 and C_2 intersect at the point A and at the point B

(a) Find the exact value of the x coordinate of A and the exact value of the x coordinate of B

(3)

The shaded finite region R_1 shown in Figure 2 is bounded by C_1 and C_2

The shaded finite region R_2 shown in Figure 2 is bounded by the x-axis, C_1 and C_2

(b) Use calculus to find the ratio

$$\text{area of } R_1 : \text{area of } R_2$$

Give your answer in the form $a : \left(\frac{\pi\sqrt{2}}{b} - c \right)$ where a, b and c are integers.

(9)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 10 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 10 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 10 continued

(Total for Question 10 is 12 marks)

www.dynamicpapers.com

11




Diagram
accurately d

Figure 3

Figure 3 shows triangle OAB with $\overrightarrow{OA} = \mathbf{a}$ and $\overrightarrow{OB} = \mathbf{b}$

The point C lies on OB such that $OC : CB = 2 : 1$
The point M is the midpoint of CB and the point N is the midpoint of AC
The lines AM and NB intersect at the point P

(a) Using a vector method, find $\overrightarrow{OP}$ as a simplified expression in terms of **a** and **b**

(9)

The point Q is the midpoint of AB

(b) Using a vector method, show that C, P and Q are collinear.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 11 continued

www.dynamicpapers.com

Question 11 continued

(Total for Question 11 is 13 marks)

TOTAL FOR PAPER IS 100 MARKS

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA