www.dynamicpapers.com

Please check the examination details below before entering your candida formation

Candidate surname	Other names

Pearson Edexcel International GCSE

Centre Number	Candidate N er

Time 2 hours

Paper reference **4PM1/01**

Further Pure Mathematics

PAPER 1



Calculators may be used.

Total Marks

Instructions

- Use **black** ink or ball-point pen.
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions.
- Without sufficient working, correct answers may be awarded no marks.
- Answer the questions in the spaces provided – *there may be more space than you need.*
- You must **NOT** write anything on the formulae page. Anything you write on the formulae page will gain NO credit.

Information

- The total mark for this paper is 100.
- The marks for **each** question are shown in brackets – *use this as a guide as to how much time to spend on each question.*

Advice

- Read each question carefully before you start to answer it.
- Check your answers if you have time at the end.
- Good luck with your examination.

Turn over ▶

P66024A

©2021 Pearson Education Ltd.

1/1/1/

P 6 6 0 2 4 A 0 1 3 6

Pearson

www.dynamicpapers.com

International GCSE in Further Pure Mathematics Formulae

Mensuration

Surface area of sphere = $4\pi r^2$

Curved surface area of cone = $\pi r \times$ slant height

Volume of sphere = $\frac{4}{3}\pi r^3$

Series

Arithmetic series

Sum to n terms, $S_n = \frac{n}{2}[2a + (n-1)d]$

Geometric series

Sum to n terms, $S_n = \frac{a(1-r^n)}{(1-r)}$

Sum to infinity, $S_\infty = \frac{a}{1-r} \quad |r| < 1$

Binomial series

$$(1+x)^n = 1 + nx + \frac{n(n-1)}{2!}x^2 + \ldots + \frac{n(n-1)\ldots(n-r+1)}{r!}x^r + \ldots \quad \text{for} \quad |x| < 1, n \in \mathbb{Q}$$

Calculus

Quotient rule (differentiation)

$$\frac{\mathrm{d}}{\mathrm{d}x}\left(\frac{\mathrm{f}(x)}{\mathrm{g}(x)}\right) = \frac{\mathrm{f}'(x)\mathrm{g}(x) - \mathrm{f}(x)\mathrm{g}'(x)}{[\mathrm{g}(x)]^2}$$

Trigonometry

Cosine rule

In triangle ABC: $a^2 = b^2 + c^2 - 2bc\cos A$

$$\tan\theta = \frac{\sin\theta}{\cos\theta}$$

$\sin(A+B) = \sin A \cos B + \cos A \sin B$ $\quad$ $\sin(A-B) = \sin A \cos B - \cos A \sin B$

$\cos(A+B) = \cos A \cos B - \sin A \sin B$ $\quad$ $\cos(A-B) = \cos A \cos B + \sin A \sin B$

$$\tan(A+B) = \frac{\tan A + \tan B}{1 - \tan A \tan B} \qquad \tan(A-B) = \frac{\tan A - \tan B}{1 + \tan A \tan B}$$

Logarithms

$$\log_a x = \frac{\log_b x}{\log_b a}$$

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Answer all ELEVEN questions.

Write your answers in the spaces provided.

You must write down all the stages in your working.

1 The quadratic equation

$$3(k + 2)x^2 + (k + 5)x + k = 0$$

has real roots.

Find the set of possible values of k.

(6)

(Total for Question 1 is 6 marks)

www.dynamicpapers.com

2 Angle α is acute such that $\cos\alpha = \frac{3}{5}$

Angle β is obtuse such that $\sin\beta = \frac{1}{2}$

(a) Find the exact value of

(i) $\tan\alpha$

(ii) $\tan\beta$

(3)

(b) Hence show that

$$\tan(\alpha + \beta) = \frac{m\sqrt{3} - n}{n\sqrt{3} + m}$$

where m and n are positive integers whose values are to be found.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 6 marks)

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

3 A curve C has equation $y = \dfrac{ax - 3}{x + 5}$ where a is a constant and $x \neq -5$

The gradient of C at the point on the curve where $x = 2$ is $\dfrac{18}{49}$

(a) Show that $a = 3$

(3)

Hence

(b) write down an equation of the asymptote to C that is

(i) parallel to the x-axis,

(ii) parallel to the y-axis,

(2)

(c) find the coordinates of the point where C crosses

(i) the x-axis,

(ii) the y-axis.

(2)

(d) Sketch the curve C, showing clearly its asymptotes and the coordinates of the points where C crosses the coordinate axes.

(3)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

www.dynamicpapers.com

Question 3 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 3 continued

(Total for Question 3 is 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

4 The nth term of an arithmetic series is u_n where

$$u_n = (n + 1)\ln 4$$

Given that the sum of the first n terms of the series is S_n

show that $S_n = \ln 2^{(n^2+an)}$ where a is an integer whose value is to be found.

(5)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 4 continued

(Total for Question 4 is 5 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

5 (a) Expand $(1 + ax)^n$ in ascending powers of x up to and including the term in

Express each coefficient of x in terms of a and n where a and n are constants and $n > 2$

The coefficient of x is 15 and the coefficient of x^2 is equal to the coefficient of x^3

(b) Find the value of a and the value of n.

(6)

(c) Find the coefficient of x^3

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 5 continued

(Total for Question 5 is 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

6 (a) Show that $(\alpha - \beta)^2 = (\alpha + \beta)^2 - 4\alpha\beta$

(3)

The quadratic equation $x^2 - 7kx + k^2 = 0$, where k is a positive constant, has roots α and β where $\alpha > \beta$

(b) Show that $\alpha - \beta = 3k\sqrt{5}$

(3)

(c) Hence form a quadratic equation with roots $\alpha + 1$ and $\beta - 1$

Give your equation in the form $x^2 + px + q = 0$ where p and q should be given in terms of k.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 6 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 6 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 6 continued

(Total for Question 6 is 10 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

7 The curve C has equation $y = \dfrac{x}{x^2 + 4}$

(a) Using calculus, find the coordinates of the stationary points on C.

(5)

(b) Show that $\dfrac{\mathrm{d}^2y}{\mathrm{d}x^2} = \dfrac{2x(x^2 - 12)}{(x^2 + 4)^3}$

(4)

(c) Hence, or otherwise, determine the nature of each of these stationary points.

(2)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 7 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 7 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 7 continued

(Total for Question 7 is 11 marks)

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

8 Given that n satisfies the equation

$$\log_a n = \log_a 3 + \log_a(2n - 1)$$

(a) find the value of n.

(3)

Given that $\log_p x = 3$ and $\log_p y - 3 \log_p 2 = 4$

(b) (i) express x in terms of p,

(1)

(ii) express xy in terms of p.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 8 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 8 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 8 continued

(Total for Question 8 is 8 marks)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

9 Find an equation of the normal to the curve with equation

$$y = (x^3 - 2x)e^{(1-x)}$$

at the point on the curve with coordinates $(1, -1)$

(5)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 9 continued

(Total for Question 9 is 5 marks)

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

10



Diagram **NOT** accurately drawn

Figure 1

Figure 1 shows triangle OAB and triangle OCD.

$$\overrightarrow{OA} = 5\mathbf{p} \quad \overrightarrow{AB} = 3\mathbf{q} \quad \overrightarrow{OC} = \frac{3}{2}\overrightarrow{OB} \quad \overrightarrow{OD} = \frac{3}{5}\overrightarrow{OA}$$

(a) Find $\overrightarrow{DC}$ as a simplified expression in terms of **p** and **q**.

(3)

The line DC meets the line AB at F.

(b) Using a vector method, find $\overrightarrow{OF}$ as a simplified expression in terms of **p** and **q**.

(7)

The point G lies on OB such that FG is parallel to AO.

(c) Using a vector method, find $\overrightarrow{OG}$ as a simplified expression in terms of **p** and **q**.

(4)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 10 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 10 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 10 continued

(Total for Question 10 is 14 marks)

www.dynamicpapers.com

http://britishstudentroom.wordpress.com/

11 (a) Using a formula from page 2, show that $\cos 2x = 1 - 2\sin^2 x$

(3)

Diagram **NOT** accurately drawn



Figure 2

Figure 2 shows a sketch of part of the curves with equations $y = \sin x + 2$ and $y = \cos 2x + 2$

The points A, B and C, shown in Figure 2, are three points that are common to both curves.

(b) Find the coordinates of each of these points.

(4)

R_1 and R_2, shown shaded in Figure 2, are two regions enclosed by the two curves.

(c) Use calculus to find, in its simplest form, the ratio

$$\text{area of } R_1 : \text{area of } R_2$$

(8)

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 11 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 11 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 11 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

Question 11 continued

(Total for Question 11 is 15 marks)

TOTAL FOR PAPER IS 100 MARKS

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA