www.dynamicpapers.com

Please check the examination details below before entering your candidate information

Candidate surname	Other names

Centre Number | Candidate Number

Pearson Edexcel International Advanced Level

Tuesday 15 October 2024

Morning (Time: 1 hour 30 minutes)

Paper reference **WMA12/01**

Mathematics

International Advanced Subsidiary/Advanced Level
Pure Mathematics P2

You must have:
Mathematical Formulae and Statistical Tables (Yellow), calculator

Total Marks

Candidates may use any calculator permitted by Pearson regulations. Calculators must not have the facility for symbolic algebra manipulation, differentiation and integration, or have retrievable mathematical formulae stored in them.

Instructions

- Use **black** ink or ball-point pen.
- If pencil is used for diagrams/sketches/graphs it must be dark (HB or B).
- **Fill in the boxes** at the top of this page with your name, centre number and candidate number.
- Answer **all** questions and ensure that your answers to parts of questions are clearly labelled.
- Answer the questions in the spaces provided
  – there may be more space than you need.
- You should show sufficient working to make your methods clear. Answers without working may not gain full credit.
- Inexact answers should be given to three significant figures unless otherwise stated.

Information

- A booklet 'Mathematical Formulae and Statistical Tables' is provided.
- There are 11 questions in this question paper. The total mark for this paper is 75.
- The marks for **each** question are shown in brackets
  – use this as a guide as to how much time to spend on each question.

Advice

- Read each question carefully before you start to answer it.
- Try to answer every question.
- Check your answers if you have time at the end.
- If you change your mind about an answer, cross it out and put your new answer and any working underneath.

Turn over ▶

P76187RA

©2024 Pearson Education Ltd.
V:1/1/1/1/1/

P 7 6 1 8 7 R A 0 1 3 2

Pearson

www.dynamicpapers.com

1. A continuous curve has equation $y = f(x)$.

A table of values of x and y for $y = f(x)$ is shown below.

x	0.5	1.75	3	4.25	5.5
y	3.479	6.101	7.448	6.823	5.182

Using the trapezium rule with all the values of y in the given table,

(a) find an estimate for

$$\int_{0.5}^{5.5} f(x)\,dx$$

giving your answer to one decimal place.

(3)

(b) Using your answer to part (a) and making your method clear, estimate

$$\int_{0.5}^{5.5} \left(f(x) + 4x\right) dx$$

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 1 continued

(Total for Question 1 is 5 marks)

www.dynamicpapers.com

2. A sequence of numbers $u_1, u_2, u_3, \ldots$ is defined by

$$u_1 = 7$$

$$u_{n+1} = (-1)^n u_n + k$$

where k is a constant.

(a) Show that $u_5 = 7$

(3)

Given that $\sum_{r=1}^{4} u_r = 30$

(b) find the value of k.

(2)

(c) Hence find the value of $\sum_{r=1}^{150} u_r$

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 2 continued

(Total for Question 2 is 7 marks)

www.dynamicpapers.com

3. $f(x) = 2x^3 - x^2 + Ax + B$

where A and B are integers.

Given that when $f(x)$ is divided by $(x + 3)$ the remainder is 55

(a) show that

$$3A - B = -118$$

(2)

Given also that $(2x - 5)$ is a factor of $f(x)$,

(b) find the value of A and the value of B.

(3)

(c) Hence find the quotient when $f(x)$ is divided by $(x - 7)$

(2)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

www.dynamicpapers.com

Question 3 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 3 continued

(Total for Question 3 is 7 marks)

www.dynamicpapers.com

4. **In this question you must show all stages of your working.**

Solutions relying entirely on calculator technology are not acceptable.

The curve C has equation

$$y = 4x^{\frac{1}{2}} + 9x^{-\frac{1}{2}} + 3 \qquad x > 0$$

(a) Find $\dfrac{dy}{dx}$ giving each term in simplest form.

(2)

(b) Hence find the x coordinate of the stationary point of C.

(2)

(c) (i) Find $\dfrac{d^2y}{dx^2}$ giving each term in simplest form.

(ii) Hence determine the nature of the stationary point of C, giving a reason for your answer.

(2)

(d) State the range of values of x for which y is decreasing.

(1)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 4 continued

(Total for Question 4 is 7 marks)

www.dynamicpapers.com

5. (a) Find, in terms of a, the first 3 terms, in ascending powers of x, of the binomial expansion of

$$(2 + ax)^6$$

where a is a non-zero constant. Give each term in simplest form.

(3)

$$f(x) = \left(3 + \frac{1}{x}\right)^2 (2 + ax)^6$$

Given that the constant term in the expansion of $f(x)$ is 576

(b) find the value of a.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 5 continued

(Total for Question 5 is 7 marks)

www.dynamicpapers.com

6. **In this question you must show all stages of your working.**

Solutions relying entirely on calculator technology are not acceptable.

Using the laws of logarithms, solve

$$\log_4(12 - 2x) = 2 + 2\log_4(x + 1)$$

(5)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 6 continued

(Total for Question 6 is 5 marks)

www.dynamicpapers.com

7. Jem pays money into a savings scheme, *A*, over a period of 300 months.

Jem pays £20 into scheme *A* in month 1, £20.50 in month 2, £21 in month 3 and so on, so that the amounts Jem pays each month form an arithmetic sequence.

(a) Show that Jem pays £69.50 into scheme *A* in month 100

(1)

(b) Find the **total** amount that Jem pays into scheme *A* over the period of 300 months.

(2)

Kim pays money into a different savings scheme, *B*, over the same period of 300 months.

In a model, the amounts Kim pays into scheme *B* increase by the same percentage each month, so that the amounts Kim pays each month form a geometric sequence.

Given that Kim pays

- £20 into scheme *B* in month 1
- £250 into scheme *B* in month 300

(c) use the model to calculate, to the nearest £10, the difference between the total amount paid into scheme *A* and the total amount paid into scheme *B* over the period of 300 months.

(3)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

www.dynamicpapers.com

Question 7 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 7 continued

(Total for Question 7 is 6 marks)

www.dynamicpapers.com

8. **In this question you must show all stages of your working.**

Solutions relying entirely on calculator technology are not acceptable.



Figure 1

Figure 1 shows a sketch of part of the curve C_1 with equation

$$y = x^2 + 3 \qquad x > 0$$

and part of the curve C_2 with equation

$$y = 13 - \frac{9}{x^2} \qquad x > 0$$

The curves C_1 and C_2 intersect at the points P and Q as shown in Figure 1.

(a) Use algebra to find the x coordinate of P and the x coordinate of Q.

(4)

The finite region R, shown shaded in Figure 1, is bounded by C_1 and C_2

(b) Use algebraic integration to find the exact area of R.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

www.dynamicpapers.com

Question 8 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 8 continued

(Total for Question 8 is 8 marks)

www.dynamicpapers.com

9. **In this question you must show detailed reasoning.**

Solutions relying entirely on calculator technology are not acceptable.

(a) Show that the equation

$$2\tan\theta = 3\cos\theta$$

can be written as

$$3\sin^2\theta + 2\sin\theta - 3 = 0$$

(3)

(b) Hence solve, for $-\pi < x < \pi$, the equation

$$2\tan\left(2x + \frac{\pi}{3}\right) = 3\cos\left(2x + \frac{\pi}{3}\right)$$

giving your answers to 3 significant figures.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 9 continued

(Total for Question 9 is 7 marks)

www.dynamicpapers.com

10. The circle C has equation

$$x^2 + y^2 + 4x - 30y + 209 = 0$$

(a) Find

(i) the coordinates of the centre of C,

(ii) the exact value of the radius of C.

(3)

The line L has equation $y = mx + 1$, where m is a constant.

Given that L is the tangent to C at the point P,

(b) show that

$$2m^2 - 7m - 22 = 0$$

(3)

(c) Hence find the possible pairs of coordinates of P.

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 10 continued

www.dynamicpapers.com

Question 10 continued

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

DO NOT WRITE IN THIS AREA

Question 10 continued

(Total for Question 10 is 10 marks)

www.dynamicpapers.com

11. (i) Prove by counter example that the statement

"If n is a prime number then $3^n + 2$ is also a prime number."

is false.

(2)

(ii) Use proof by exhaustion to prove that if m is an integer that is **not** divisible by 3, then

$$m^2 - 1$$

is divisible by 3

(4)

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

www.dynamicpapers.com

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA

Question 11 continued

www.dynamicpapers.com

Question 11 continued

(Total for Question 11 is 6 marks)

TOTAL FOR PAPER IS 75 MARKS

DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA
DO NOT WRITE IN THIS AREA