OXFORD

INTERNATIONAL
AQA EXAMINATIONS

Please write clearly in block capitals.

Centre number | | | | | | Candidate number | | | | |

Surname _____

Forename(s) _____

Candidate signature _____

I declare this is my own work.

INTERNATIONAL A-LEVEL
FURTHER MATHEMATICS

(9665/FM03) Unit FP2 Pure Mathematics

Wednesday 24 May 2023 07:00 GMT Time allowed: 2 hours 30 minutes

Materials
- For this paper you must have the Oxford International AQA Booklet of Formulae and Statistical Tables (enclosed).
- You may use a graphical calculator.

Instructions
- Use black ink or black ball-point pen. Pencil should only be used for drawing.
- Fill in the boxes at the top of this page.
- Answer **all** questions.
- You must answer the questions in the spaces provided. Do not write outside the box around each page or on blank pages.
- If you need extra space for your answer(s), use the lined pages at the end of this book. Write the question number against your answer(s).
- Do all rough work in this book. Cross through any work you do not want to be marked.

Information
- The marks for questions are shown in brackets.
- The maximum mark for this paper is 120.

Advice
- Unless stated otherwise, you may quote formulae, without proof, from the booklet.
- Show all necessary working; otherwise marks may be lost.

For Examiner's Use	
Question	Mark
1	
2	
3	
4	
5	
6	
7	
8	
9	
10	
11	
12	
13	
14	
TOTAL	

Answer **all** questions in the spaces provided.

Do not write outside the box

1 The 3 × 3 matrix **N** represents a reflection in the plane $y = 0$

The 3 × 3 matrix **M** represents an enlargement, scale factor 2 with the origin as the centre of enlargement.

Find the matrix **NM**

[2 marks]

NM =

2

Do not write outside the box

2 The cubic equation

$$z^3 - 4z^2 + 3z + c = 0$$

where c is a non-zero constant, has roots α, β and γ

2 (a) Show that

$$\alpha^2 + \beta^2 + \gamma^2 = 10$$

[3 marks]

2 (b) Explain why

$$\beta^3 - 4\beta^2 + 3\beta + c = 0$$

[1 mark]

2 (c) Show that

$$\alpha^3 + \beta^3 + \gamma^3 = 28 - 3c$$

[2 marks]

6

Do not write outside the box

3 Two 3×3 matrices **A** and **B** are such that

$$\det(\mathbf{AB}) = 10 \quad \text{and} \quad \det(\mathbf{A}^{-1}) = 5$$

A three-dimensional shape S_1 with volume 6 cm^3 is mapped onto the shape S_2 by the transformation represented by matrix **B**

Find the volume of S_2

[4 marks]

Answer _____

4

4 A curve has Cartesian equation

$$y = x\sqrt{x} - \frac{1}{3}\sqrt{x}$$

4 (a) Show that

$$1 + \left(\frac{\mathrm{d}y}{\mathrm{d}x}\right)^2 = \left(px^n + qx^{-n}\right)^2$$

where p, q and n are rational numbers.

[2 marks]

Do not write outside the box

4 (b) The arc of the curve from $x = 1$ to $x = 4$ is rotated through 2π radians about the x-axis.

Show that the area of the curved surface generated is $\frac{173}{3}\pi$

[4 marks]

6

Turn over ►

Do not write outside the box

5 Evaluate the improper integral

$$\int_0^{\mathrm{e}} \left(9x^2 \ln x + \frac{4}{1+4x^2} \right) \mathrm{d}x$$

showing the limiting process used.

[7 marks]

Answer

7

Do not write outside the box

6 By using an integrating factor, find the general solution of the differential equation

$$\frac{\mathrm{d}y}{\mathrm{d}x} + \frac{8x}{x^2+2}y = 2x^3 + \frac{1}{\left(x^2+2\right)^{\frac{9}{2}}}$$

Give your answer in the form $y = \mathrm{f}(x)$

[7 marks]

$y =$ _____

7

Do not write outside the box

7 The sequence $u_1,\ u_2,\ u_3, \ldots$ is defined by

$$u_1 = 3 \qquad u_{r+1} = 3u_r + 4$$

7 (a) By writing $u_{r+1} = 3u_r + 4$ in the rearranged form $u_{r+1} - u_r = 2u_r + 4$ use the method of differences to show that

$$\sum_{r=1}^{n} u_r = \frac{1}{2}u_{n+1} - 2n - \frac{3}{2}$$

[3 marks]

Do not write outside the box

7 (b) Prove by induction that, for all integers $n \geq 1$

$$u_n = 5 \times 3^{n-1} - 2$$

[4 marks]

7 (c) Hence, write down $\sum_{r=1}^{n} u_r$ in terms of n

[1 mark]

$$\sum_{r=1}^{n} u_r =$$

8

Turn over ►

Do not write outside the box

8 (a) Find the general solution of the differential equation

$$\frac{\mathrm{d}^2y}{\mathrm{d}x^2} + 2\frac{\mathrm{d}y}{\mathrm{d}x} = 0$$

[2 marks]

Answer

Do not write outside the box

8 (b) It is given that y satisfies the differential equation

$$\frac{\mathrm{d}^2y}{\mathrm{d}x^2} + 2\frac{\mathrm{d}y}{\mathrm{d}x} = 6\mathrm{e}^{-2x}$$

and when $x = 0$ it is given that both $y = 0$ and $\frac{\mathrm{d}^2y}{\mathrm{d}x^2} = 4$

Find the value of y when $x = 3$

[7 marks]

$y =$ _____

9

Turn over ►

Do not write outside the box

9 The non-singular matrix **A** is defined as

$$\mathbf{A} = \begin{bmatrix} 3-k & 1-k & 3 \\ 5 & 7 & 4 \\ 3 & 5 & 3 \end{bmatrix}$$

where k is a **positive** constant.

9 (a) Find $\mathbf{A}^{-1}$ in terms of k

[6 marks]

$\mathbf{A}^{-1} =$

Do not write outside the box

9 (b) (i) Use your answer to **part (a)** to solve the equations

$$\begin{aligned} (3-k)x + (1-k)y + 3z &= 1 \\ 5x + 7y + 4z &= 1 \\ 3x + 5y + 3z &= 1 \end{aligned}$$

Give your solution in terms of k

[3 marks]

$x =$ _____ $y =$ _____ $z =$ _____

9 (b) (ii) Hence, state the range of possible values of $x + y + z$

[1 mark]

Answer _____

10

Turn over ►

Do not write outside the box

10 (a) (i) Write down $e^{\frac{i\theta}{2}} + e^{-\frac{i\theta}{2}}$ in terms of $\cos\left(\frac{\theta}{2}\right)$

[1 mark]

$e^{\frac{i\theta}{2}} + e^{-\frac{i\theta}{2}} =$

10 (a) (ii) Hence, given that $e^{i\theta} \neq -1$ show that

$$\frac{1}{e^{i\theta}+1} = \frac{1}{2} - \frac{i}{2}\tan\left(\frac{\theta}{2}\right)$$

[2 marks]

10 (b) Hence, by replacing θ by $\pi - \theta$ in the equation in **part (a)(ii)**, show that for $e^{i\theta} \neq 1$

$$\frac{1}{e^{i\theta}-1} = -\frac{1}{2} - \frac{i}{2}\cot\left(\frac{\theta}{2}\right)$$

[3 marks]

Do not write outside the box

10 (c) Deduce that, for $e^{2i\theta} \neq 1$

$$\frac{1}{\cos 2\theta - 1 + i \sin 2\theta} = a + i\, b\left(\tan\left(\frac{\theta}{2}\right) - \cot\left(\frac{\theta}{2}\right)\right)$$

where a and b are rational numbers.

[2 marks]

8

Turn over ►

Do not write outside the box

11 The line L has equation $\left(\mathbf{r} - \begin{bmatrix} 1 \\ 0 \\ 2 \end{bmatrix} \right) \times \begin{bmatrix} 2 \\ 3 \\ -6 \end{bmatrix} = \mathbf{0}$

The plane Π has equation $\mathbf{r} = \begin{bmatrix} 1 \\ -2 \\ 3 \end{bmatrix} + \lambda \begin{bmatrix} -2 \\ 1 \\ 2 \end{bmatrix} + \mu \begin{bmatrix} 1 \\ -3 \\ 4 \end{bmatrix}$

11 (a) Find $\begin{bmatrix} -2 \\ 1 \\ 2 \end{bmatrix} \times \begin{bmatrix} 1 \\ -3 \\ 4 \end{bmatrix}$

[1 mark]

Answer _____

11 (b) Use a scalar triple product to determine whether or not $\begin{bmatrix} -4 \\ 3 \\ -2 \end{bmatrix}$, $\begin{bmatrix} -2 \\ 1 \\ 2 \end{bmatrix}$ and $\begin{bmatrix} 1 \\ -3 \\ 4 \end{bmatrix}$ are coplanar vectors.

[2 marks]

Answer _____

Do not write outside the box

11 (c) Calculate the acute angle between the line L and the plane Π giving your answer to the nearest degree.

[4 marks]

Answer _____

11 (d) The line L intersects the plane Π at the point P

The point Q has coordinates $(1, 0, 2)$

Calculate the length PQ

[4 marks]

Question 11 continues on the next page

Do not write outside the box

Answer _____

11 (e) Hence, or otherwise, find the **exact** value for the shortest distance from the point Q to the plane Π

[3 marks]

Answer _____

14

Do not write outside the box

Turn over for the next question

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

12 A curve C has equation

$$y = \mathrm{e}^{\frac{7}{25}x} \operatorname{sech} x$$

The curve has exactly one stationary point P

12 (a) Find the x-coordinate of P giving your answer in the form $\ln k$ where k is a constant.

[6 marks]

Answer _____

Do not write outside the box

12 (b) The line L is the tangent to the curve at P

Find the shortest distance of L from the origin.

Give your answer in the form $a(b)^c$ where a, b and c are rational numbers.

[3 marks]

Answer _____

12 (c) Hence, determine whether or not the line L intersects the curve $y = \tanh x$

Justify your answer.

[2 marks]

11

Turn over ►

Do not write outside the box

13 (a) Write down the Maclaurin series expansion of $\ln(1+4x)$ in ascending powers of x up to and including the term in x^3 and state the range of values of x for which this expansion is valid.

[2 marks]

$\ln(1+4x) =$ _____ valid for _____

13 (b) It is given that $y = \ln(\cos x - \sin x)$

13 (b) (i) Show that

$$\frac{d^2y}{dx^2} = \frac{-2}{1-\sin 2x}$$

[3 marks]

Do not write outside the box

13 (b) (ii) Hence, show that the first three non-zero terms in ascending powers of x in the Maclaurin series expansion of $\ln(\cos x - \sin x)$ are $-x - x^2 - \frac{2}{3}x^3$

[3 marks]

13 (c) **Hence**, show that

$$\lim_{x \to 0} \left[\frac{\ln\left((1 - \sin 2x)\sqrt{1 + 4x}\right)}{5x^2 + 6x^3} \right]$$

exists and state its value.

[5 marks]


Answer _____

13

Turn over ►

Do not write outside the box

14 The diagram shows a sketch of a curve C, the pole O and the initial line.



The end points A and B of the curve C are shown on the diagram above.

The curve C has polar equation

$$r = \frac{3}{2}\text{cosec}^2\left(\frac{\theta}{2}\right) \quad \text{for} \quad \frac{\pi}{4} \leq \theta \leq \frac{7\pi}{4}$$

14 (a) The end point A has polar coordinates $\left(6+3\sqrt{2}\,,\ \frac{\pi}{4}\right)$

Show that the area of triangle AOB is $27+18\sqrt{2}$

[2 marks]

Do not write outside the box

14 (b) Find the Cartesian equation of C giving your answer in the form $y^2 = \mathrm{f}(x)$

[4 marks]

Answer _____

14 (c) The straight line with polar equation $\tan\theta = \sqrt{3}$ intersects the curve C at the points P and Q

14 (c) (i) Find the polar coordinates of P and Q

[3 marks]

Answer _____

Question 14 continues on the next page

Do not write outside the box

14 (c) (ii) Find $\int \left(1+\cot^2\left(\frac{\theta}{2}\right)\right) \operatorname{cosec}^2\left(\frac{\theta}{2}\right) \mathrm{d}\theta$


[3 marks]

Answer _____

Do not write outside the box

14 (c) (iii) Hence, find the area of the region bounded by the curve C and the line segment PQ giving your answer in the form $k\sqrt{n}$ where k is a rational number and n is a prime number.

[3 marks]



Answer _____

15

END OF QUESTIONS

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

Question number	**Additional page, if required.** **Write the question numbers in the left-hand margin.**

Do not write outside the box

There are no questions printed on this page

DO NOT WRITE ON THIS PAGE
ANSWER IN THE SPACES PROVIDED

Copyright information

For confidentiality purposes, all acknowledgements of third-party copyright material are published in a separate booklet. This booklet is published after each live examination series and is available for free download from www.oxfordaqaexams.org.uk.

Permission to reproduce all copyright material has been applied for. In some cases, efforts to contact copyright-holders may have been unsuccessful and Oxford International AQA Examinations will be happy to rectify any omissions of acknowledgements. If you have any queries please contact the Copyright Team.

Copyright © 2023 Oxford International AQA Examinations and its licensors. All rights reserved.