



UNIVERSITY OF CAMBRIDGE INTERNATIONAL EXAMINATIONS  
 General Certificate of Education  
 Advanced Subsidiary Level and Advanced Level

CANDIDATE  
 NAME

CENTRE  
 NUMBER

--	--	--	--	--

CANDIDATE  
 NUMBER

--	--	--	--



**BIOLOGY**

**9700/23**

Paper 2 Structured Question AS

**May/June 2011**

**1 hour 15 minutes**

Candidates answer on the Question Paper.

No Additional Materials are required.

**READ THESE INSTRUCTIONS FIRST**

Write your Centre number, candidate number and name in the spaces provided at the top of this page.

Write in dark blue or black ink.

You may use a soft pencil for any diagrams, graphs or rough working.

Do not use red ink, staples, paper clips, highlighters, glue or correction fluid.

**DO NOT WRITE IN ANY BARCODES.**

Answer **all** questions.

At the end of the examination, fasten all your work securely together.

The number of marks is given in brackets [ ] at the end of each question or part question.


For Examiner's Use	
<b>1</b>	
<b>2</b>	
<b>3</b>	
<b>4</b>	
<b>5</b>	
<b>6</b>	
<b>Total</b>	

This document consists of **14** printed pages and **2** blank pages.



1 Fig. 1.1 shows a stage in the mitotic cell cycle in an animal cell.

For  
Examiner's  
Use



**Fig. 1.1**

(a) (i) Name the stage of mitosis shown in Fig. 1.1.

..... [1]

(ii) State three features which are characteristic of the stage of mitosis shown in Fig. 1.1.

1. ....

.....

2. ....

.....

3. ....

..... [3]

**(b)** Explain the importance of mitosis in organisms.

.....  
.....  
.....  
.....  
.....  
..... [3]

**(c)** In many multicellular organisms, such as mammals, the time taken for the mitotic cell cycle varies considerably between different tissues, but is very carefully controlled in each cell.

Suggest the importance of this control in mammals.

.....  
.....  
.....  
.....  
..... [2]

[Total: 9]

- 2 (a) Complete the table to show **three** ways in which the **structure** of DNA differs from RNA.

For  
Examiner's  
Use

	DNA	RNA
<b>1</b>		
<b>2</b>		
<b>3</b>		

[3]

- (b) Table 2.1 shows two messenger RNA (mRNA) codons. Fill in the complementary transfer RNA (tRNA) anticodons in the spaces provided.

**Table 2.1**

mRNA codons	GCG	ACA
complementary tRNA anticodons		

[2]

- (c) Calculate the minimum number of DNA nucleotides necessary to code for a polypeptide with 238 amino acids.

Show your working.

answer ..... nucleotides [2]

(d) Describe the role played by tRNA in polypeptide synthesis.

For  
Examiner's  
Use

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

.....

[4]

[Total: 11]

3 (a) Plants take in mineral ions through their root hair cells. This may happen by a process which moves the ions from a low concentration in the soil to a higher concentration in the root hair cell.

(i) Name and describe this process by which mineral ions are taken in.

*name* .....

*description* .....

.....

.....

..... [3]

(ii) Phosphate is an example of an ion transported in this way. State **one** use for this ion in plant cells.

.....

..... [1]

Fig. 3.1 is a plan diagram of a transverse section of a plant root.




Fig. 3.1

(b) (i) Write the letter **W** on Fig. 3.1 in the area where cells are specialised for the transport of water and mineral ions. [1]

For  
Examiner's  
Use

(ii) Water is also absorbed from the soil by the root hair cells.

Outline the mechanism by which this occurs.

.....  
.....  
.....  
..... [2]

(iii) Describe the pathway taken by water as it passes from the root hair cells into the cells which are specialised for transport of water and mineral ions.

.....  
.....  
.....  
.....  
.....  
.....  
.....  
..... [4]

[Total: 11]

- 4 In mammals, haemoglobin is used to transport oxygen and myoglobin is used to store oxygen in muscles.

For  
Examiner's  
Use

Fig. 4.1 shows the oxygen dissociation curves for myoglobin, fetal haemoglobin and adult haemoglobin.




Fig. 4.1

- (a) (i) Name the cells in which haemoglobin is found.

..... [1]

- (ii) Use Fig. 4.1 to determine the percentage saturation of **myoglobin** and **adult haemoglobin** when the partial pressure of oxygen is 3 kPa.

*myoglobin* .....

*adult haemoglobin* ..... [1]



- (iii) There is a large difference between the percentage saturation of myoglobin and that of adult haemoglobin at **low** partial pressures of oxygen. Suggest reasons for this.

.....  
.....  
.....  
..... [2]

- (b) Fetal haemoglobin has a different oxygen binding affinity to that of adult haemoglobin, as shown in Fig. 4.1. Normally, after birth, the production of the fetal form stops and the adult form is produced.

In a rare condition known as Hereditary Persistence of Fetal Haemoglobin (HPFH), fetal haemoglobin continues to be produced well into adulthood in addition to adult haemoglobin. This condition, however, usually lacks any symptoms.

- (i) Explain, with reference to Fig. 4.1, the significance of the difference in oxygen binding affinity between fetal and adult haemoglobin.

.....  
.....  
.....  
..... [2]

- (ii) Suggest why HPFH usually lacks symptoms.

.....  
.....  
..... [1]

- (c) Sketch on Fig. 4.2 the dissociation curve you would expect for adult haemoglobin if the concentration of carbon dioxide is increased.

[2]


For  
Examiner's  
Use

Fig. 4.2

[Total: 9]

**BLANK PAGE**

5 Fig. 5.1 is an electron micrograph of a transverse section through part of a plant stem.

For  
Examiner's  
Use




Fig. 5.1

(a) Name structure A.

..... [1]

(b) Specialised cells visible in Fig. 5.1 are involved in transporting assimilates through the plant from source to sink.

(i) Name **one** assimilate transported by these cells.

..... [1]


(ii) Give **one** example of a source and **one** example of a sink.

source .....

sink ..... [2]



- 6 In anaerobic soil, bacteria, such as *Pseudomonas stutzeri*, can use nitrate ions ( $\text{NO}_3^-$ ) as a source of oxygen for their respiration. The word equation below summarises the process:



- (a) (i) State the name of this process in the nitrogen cycle.

..... [1]

- (ii) In agriculture, this reaction can be undesirable. Explain why.

.....  
.....  
.....  
..... [2]

High concentrations of nitrate ions in drinking water obtained from rivers and lakes can be toxic, especially to infants. These nitrate ions enter rivers and lakes dissolved in water which drains from the soil.

- (b) (i) Name the process, carried out by soil bacteria, which produces nitrate ions.

..... [1]

- (ii) Suggest how bacteria, such as *Pseudomonas stutzeri*, can be used in the process of purifying water for drinking.

.....  
.....  
.....  
..... [2]

(c) In recent years there has been an increase in flooding of agricultural land worldwide.

Explain why crop yields are often significantly reduced even after the flood water has drained away.

For  
Examiner's  
Use

.....

.....

.....

.....

.....

.....

.....

.....

..... [4]

[Total: 10]

**BLANK PAGE**

---

*Copyright Acknowledgements:*

Fig. 1.1                      Michael Abbey/Science Photo Library.  
Fig. 5.1                      J. C. Revy, ISM/Science Photo Library.

Permission to reproduce items where third-party owned material protected by copyright is included has been sought and cleared where possible. Every reasonable effort has been made by the publisher (UCLES) to trace copyright holders, but if any items requiring clearance have unwittingly been included, the publisher will be pleased to make amends at the earliest possible opportunity.

University of Cambridge International Examinations is part of the Cambridge Assessment Group. Cambridge Assessment is the brand name of University of Cambridge Local Examinations Syndicate (UCLES), which is itself a department of the University of Cambridge.